

18: Mush

412/7274

#7

## LIBRARY COMPANY

OF


PHILADELPHIA.

## RIDGWAY BRANCH.

PRESENTED BY

COMMUNITER BONA PROFUNDERE DEORUM EST.

Clinical Lectures delivered in the Royal. Instirmiary Dinburgh in 1768.



Introduction Clinical Lectures Ih? he delivered at the Knivn Lecture -Mnowledge wi is acquired by visiting to such Patriots is for more uneful than y vi i deroved from this tory because, 1: Ther Jymh towns anahe a duher Impref: ion whom the mind, than when there ad of them. 2: We acquire a Knowledge of thou fump = towns which cannot be described bush on the diffirent flates of the Pulse- Perpisation to Degrees of Heat - appearances of the Counters ances - The Changes of the boise - the difficient leppearanus of the brine Ke. all this things are to be arguind Only by convering with Diseases Themselves.

p. 2 and Invitation Ati constant of the second rem Also mer find . Enteringues is it is appeared till the last of t A Justin Andrew Marie Ma any =rial : 120 :

Introduction Bi Diseases in Books an Journ simple, Int in dich Patriots we find a humber of hem complicated together w: very diffirent Indications of bure. 4: hu! of Diseases in Books are quisavally eny in perfect, many of the most mate. inal fymptomo being often amitted. 5: Histories of Diseases un Often vory Julianis some owing to physical britis hing prejus edico in Javour of certain Theomits, bother. him las Remedies, or from the banits and bredulity which is prestianto most of britis in Prysis. Controveries hovelines wice contributed hot a little to introduce many false Fasts into Medicine.

The state of the s many a sent mention of the form The same of the sa and a filiant formation of the plan the many and all and the second of the secon transfert, many of the most had from the me the file of the sear the. and a second of the second of who 302

Introduction 6. The hatural Love of the honderful and parveloous has derved to introduce many Facts into Physic which have plus had any Fortes ation. Thus the Voyal Jouch - Renulets - Majir has hun wonded to cure Diseases. These things we know have no real officacy, & and aperate Buly on the Patient's Imagination, notwith standing the many four blaints mude by. Theory from inclined to think there me mone false Facts than Julie Thuris in Physic. Ou this is the Come I would no vise you from thoman to use your Lyes byour f Patients. Visit them every Lay, & huch

John Strategy Contract of the second of the many a series that the series of the series A LAND BELLEVILLE BELL the many a wind a Carling war ton it would be an Compatible of the section is the section of the sec The The to the rtion William the whole of the many lain it

Introduction ugular fournals of the Changes in their Diranes, & the Operation of 4 Medianes on them to don't neglet Gases because they are evenmon. Common Caus occur Ofthet in Practise, and there fore pay particular attention to them.

you will find them of the most Consequence to you?

The Meth of of shall follow in these Lectures is

to enquire into

The ftate of the Pulse - Forgers - Reshie nation - Experientes -- all the Executiones a terine - Hool - Sweat - the states of the finser - flood watch Julness - the States of the Inemes of Llow fellows in hos men. hu Sh? get om Intillizeme from bur fatients fint, without whing

South when it there a few first and formation of the my a Viniones, W the Special ou) treet . comence of his in chieses there were an with the said was the said the one pear heartine las albertion de suren you will find them of the 0 4 1/2 if its abides - . that you

Introduction any Luestions, for thy alway - dwell whom Those fignificans w: give trien most frain. 2nd Johall point But all the anticident Courses - as the age - Habit of Body -Temperament mannen of Life they have hun austomed to. 3. I shall mention all the bariety of Occasionalfacross. 4: the proximate Cause shall next be investigated from the fymhoms w: have hun lufore mintioned. linder this the thale endeavour to explain duch of the fymations as an explicable. 5. I that mention duch Prognostichs

the top and the confidence of the police we to the second some son of the second son of the second Hotelle Harnes But in the Son Eur mus sa the life with the state dee Minness many fresh the ner A tur lecher oral person. wo thi

Introduction as will qualific us to tete when a Discase.
will terminate in Life - Death - or anoth Disease. 6: I shall lay down the Indications Some. These are taken from a Finow: lidge of the proximate Cause. hut when This cannot be found facts we shall point But the Juvantia of Leedentia indimilar hature. 7: I shall care fully to the totice of the Het of humidies, and mention fran timberly the Down of each of them. th all aim at fimplicity in Present : tion, doy: if the l'atient is letter or worse we may know w: Medicine to attribute it to . I shall fold Boder the

· Such a make when with the sea of the same sticks to parte Marie mo Lege of the provisioners to the was in a driver to the former to the water from white faith with the forther the state to a single the were the state of the state of 1 hour oun To that our felly their he The state of the second st

Introduction most common pridicines duch as are generally Ordered in Lumilar Cares. But if than the fail I that have Recourse to more vivlent d'uneversion medicine I would ad vise you to be contions in wontonly traling to be evinents w: midicines of wiyou are unacquinity especially when it is not alsolutely musto org. This will be du boersive of the grand Foundation of morality of doing to

Protestion Acce the the first with the Plus personally places of places to the town of the more and the state of the state to the true to the town of the second second = 0 W: the state of the same think the state of the second of the tures a comment seemed of why your de men in the second theres m wn you . This will be the bearing of the feet Exercise of through of the ing

Achatitis Miz: Hastings - labour unders Papatitis. This Direauis Often confiner. edd wi a lewithis. our prosent latints are is as follows. The complains of a hungent pain in hu right jide extuding down the Olike, accountanied wi Learn. a kard hulse - Ha Shight Grugh . how mo Shall this be distinguished from a Pourasy? - By a banity of lineum: tanus i Pleuras jes are more frequent. 9 out of to Inflam! Diseases are wither Engina's or Reura sies. The Meason of This is widently owing to these parts

(1000年) and the second s their a marin the state of the s cn le Ja Pair the second

depatitis bung most expensed to the linkon of fold. - in all ambigues Pases therefore we may Suspect a Plearing rather Than I Hepatitis. 2: little Judgement for can be formed from the fire cise plany the pain. The Lungs in Inspirationer. to much lower than is Supposed. The à l'ain in the floulder is Lossetines voked whom as a Pathognomonic Much of a Hafatitis & all life two of the Livan, but this Sympton is not miform. I have den many Cares of Diseased Livers Hystropain

alle door the frame of in hat file for the former from the fire wine files ain 21 1 the C. T.

Hepatitis of the shoulder felt. Jungin this hain is confined buly to those tures Where the Liver is enlarged, I con. idenably encreased in its bright. This painer generally confined to the lavi: ele Il Seldour extends anos the Jeaquela I when it does attend gives bes strong Reason to Suspect an encue sed fire of the Liver. to all this we array. all the Musiles of the abdomes & Tho: my auxulijut to Inflamation or Phum matileffections wirenders it still provedifficult to form a Dignosio of the Departitis from the featofghain.

aire is confinite franky in the Where the developer . Wearn Bereit described on it prospher this freezemently continued to the Basis the sure of the fulle I please it there are there of the or the dever in the collection in the arms

Mepatitis But 9: The Bisting most Distinguishing made of a depotitis Must then be taken from the Deculitus. in all laur of instamate Liver, the patient annot lye on his heft fide, Whereas in all Perifornumonis Diseases the Patient un lye and on his left side at leastfor same time. it does not follow hotwith. tanding that a l'atient labours under a Hepatitis when he cannot his on his left fide. 4: Pleasary is always Attended w: alough, the Hepatitis like : vise alanost always produces a

in the December 14 Bluding at 4 More the morgan. vol 1- p. 336

Repatitis fough do that little Dependance combe places an this Lymptom . 5: Theway is attended wheretoration a Depathis way deldone or heven, do that more Dependance may be placed whom the ymptone. 6: Savauje enakes a gel. www folour austher Firtinguish; bruck of the Sepatitis. but this I believe arose Only from Theory. I have deen many Hepatities & Het hever I aw this yellow folourin my Life (a) Bur prusent l'atrents l'age is not Vangerous. Alle the requires is Ufn: fect: Diluents - gentle laxatives - nourishin Diet De

ille for the do that will the and the day to have her Pull inmed whom a a ume

Slow : Lever Ulis: Grant - has belowed for forme time lunder a dewer. The Fever Jums thave best her, but the Quickness of la Pulse still continues. a fireum: the of the happens from the Debility induced by the Fever, but Office depends whom Laura to bries bilment or ful water o When this is the Case The French frumer the Hestri From & is generally attended w by a cerbations in & liftenorn - Collignative sweats of Dyanhaa. but as hothing of this him appear in our Votients face we have hothing to fran. a lettle time joined w: the formall quantity of time I hope will cure hir.

Costle Costle

Thethis is Pulmonalis Helen Gutherell - has several Lympton of a Phothesis. a Disease w: has hun Keritary in her Fatherstamils. - hu Grendes au Historiated, a Lympt V: After attends are insificent of thisis in found girls about 15 or 16 w: is her les. The has likewise a Diamho D wi confirms my furpierous of her ling in a eversum fritise hay, hur Paseaphears the ineurable. I have trud Phium When as a pallia tive, but it did more Han skan good . a late Practitioner of Physic & in London has recommun; : 20 Johil audrin fonnspolitions


& min Whitein a a warme . Vinter in his the straint may & been les au Michael adjust Partu the se are inside things it wi is file that the list. matte; 10 los

Athiris Pulmonalio I mesotians deveral Cases in willegen Hun w: great facels. This Prairie may applean bold, but I have now I la tent under my fare who has wied the the wigreat about the for this nonth part after every thing else had hun trud in vain, Hind ad after ad bot all Moher of hir Recovery. husfore Ardened it to this Girl. The and the teho is the biliet miand wi Gum anabie difeolorde

and

Profluvium mensium an Boberts - labours under a Proflumam minsium altima: Kny w: a orlan albus. Jumsider the Proflucium mensium as the primary Disease. The complains of a prain in her leterus - the midwife has felt Manghnep in the Or Tince. Afron his washing the Suspected a Thimas & a Tendency to a Pancer w: Hen follows a languantinued Profus vium Minsium. The Matter w. flows may be from an Allen for w we know.


it is too hand to tell when this



Rollwium Mensium ithe Pases the mell affords no Diagno 11. ste for alle matter discharged from the leterus auguires an Curimony & Hotor by the Leat of the Mody Itly Haguating on floaths. The has been for Lore time on the bose of i centa Midieine concerning w: Physicians Offer very brush in their lucounts. I um for From thin hing it adespicable Micine its bistue Leurs to reside into a bolatile part win apt to fly If hy veing long kept a The complains J'violent pains in her whole Body

mita asseries and live insured & 3 crify Bus Pay tive · mens Win . 27

Influorium mensium Trut am aft to doubt the fruth of if the days for the has no hower hon pritation of her Typ tem w. So mucha. vily attend violent pains in & letone Buides the full no time as inelitarion Etivenefs w: we how always en: weres all pains & Diseases in The Merus. The has fordome time here med to Prium, but as this brot on a for= tweness of Abliged her to lay aside, & get flu felt no Increase of pain fromit. from all these fireumstances of amapt to doubt her having a Concer in her Wirus . I shall therefore only con:



Ingluvium mensium ider it as a Peofluvium musium, & In this of have bedeen her to take To of the Pulo: alum: theretimes Day. This Disease is of Consequence If thall therefore bestow some time spon it in a futureduture.

that notion the a staglinerium for an have budenie estia of the Person Ry 4

Costivenes fanet Davidson - har a Pampli: vation of Cumplaints w: farm to Infact are counterfer to from their hanging do often. The has however In Abstinate Costiveness w: Leuns in threaten an Illius of have own men falt difeolors in it. This I have found to be a most powerful auticinet ti, & answers much better than the al Glamberi.

Monsielle. at: her Bi

Mephritis Calculosa. ath: Dickson - appears to talour under hephostic Complaints. The fulo Something like a frain extending from her Right Shidney to the By Tuber The Thurise fuls a pain in praying hen Wine . The Urine itself appears Superilies ie has a pale whey folour ividume dyree of Furbidness and a much w. how not lie exactly on the furface of the bootsom of the Glass. This muns if felt resembles Glue or fire Hwhen and puts on an earthy Form. These Puperties of the Movine & have mours

Melinitie aturilian. E. Dickelle - Wife and to technice The technical accordance of the field ! Kid mather the in facion on the differ from file May to the Me the state of the the state of the s was the first of the said that sa poi

Mephritis Calculosa. print But the prevenue of a Calculus in to Midney o when no Other Lymptoms Haleuli have attended. to all the Symptoms of Paleuli we have Min= tioned in this Saturt we may add hat last fermen the countlain of pain in her Right Midneys & as umbnefs in her ldeg & Thigh. at ment the has an Passitie or timpanis to affection. w: this cam be owing to Jeann et day. hurhaps hur Liven hay be affected & hover hnew are instance of an Ascites follow a Discusse

Mehlerthi Pitenthon. And house the prisoner of the letters in Millienge where we letter deported house more il entillant little della to the color and soot in the second of the second of the Con ment with the line we can tetre made in the follow: Manner & (a) Colchie: Autumnal Rad: ree: }! 1 As Heola. Il Aceti Colchici Di mel: pur Dij misce, & Supra Mollifgni saprius agitanda forh: higner, coque ad mellis Consistentiam Bay: Dos: 3:0 bis ad Liter, in die in believelo quovis diluto.

pephritis alculusa. in the Midneys. hature hindity Inwentitley bringing on Other trace. ations When the livine is Leave ted in to durall Grantity tuck as Perspira: ton- flool, & Some times an inertuntary Discharge of it this the wringing pagings, - The Indications offer are difficult Deamfelieated. Dimetics we fear will ennears the helphritis faire = is plaints. they have been used by her for I dome time; especially the most powerful 3. of them the Colcieum; wi bogether w: the figuills almost alteracy boose

Rephiriti alterina. the Meaning of heartines in indig in with during in the works the de Delate the drive is dear to in tostin all the antitle steet as I suprise The Ru ₩ 300 dere her

nephritis Calculosa Mur diwette Lualities by long use from the Ridneys besoming insensible to their Itimulus by lang Coston topon his au: Thave Often letternated them a: hovantage. I have however or: and her to lay aside the Colcium Ito less the famille in the From of 9: 1 every two or three hours . in this branner buy diehen the stomach less denten more fully into the Blood. I give the Iquills not any as a Dinnettie tent en a Cayative & Carminature, for fam not certain but w: her

Methyliatilation.

Mefehritis Calculosa. Judling may be on ing to Tympanitio. - was it hot for there two last indica. twas fw: hot have given hun Diunetties or they always encrease hephretic form. Mainter. I intend after flue has used the quills for Sometime frantis to Order her the Courtie alkali, but I do not huse to confound there two maicines

Mehinitis Willedon. thing sury in our in Jacky part was it had for the the the way finished have fine lending a ha by always america peppenti form Lyten Alt and all all all cuting Paras for also received as from the factor of w fin in menting the last fall was these time the

Mheumatism Marg: Dougale. labour under an lieute Phelumation i e a dever attended w: a pain in the joints over the whole Tystem which Diskinguishes it from the kranic Pheumatism wiis generally on fine to an sport. I shall avaid Thaking hire of the hature & proximate use of Theumatism, but proceed to ble aute Thumation require vacuations. But in this braman fase we Loud not use general Bluding, because her tunses were on her ; of

and in Love the the second or and double ことはなっている こうしょうしょ and to draw the state of the st W. grea 200 W 27

Il heumatism cannot day bolewing would have hart for; on the contrary have Often Jeen it wood during Munstruation W: great Advantage as in Turip neu: monies without checking & Trenses, His heefsary however to conform to this bulgar troor as well as many low Blurs, if a Thysician would ish to Save his Reputation for this hason any even in this House of have amitted to ander Istuding in om Satients lase. But I had another Reason for not bring

Telephone Mille way to the same and ware and the same of th were the second from Come to man borica the state of the same of the same and the fresh his hand for the free of real particular to the The france than Sufference of the said


Rheumatism Blidding & that is her foints were willed in wase I have always found Spical Bluding w: Leacher Dolmat proise . When the foints don't swell gegural Bleeding deems to answer best. - The has been an is two of the Tuoit: Baidan: a mediune onis: I have no Dependance but it is hurgary to give our Patients Jomething . I have Since law it aside & give her Zi of the Decoet: Lene ha, Johall till you here: Har how it Operated.

in the state of the state of A TOTAL PROPERTY OF THE PARTY O of the season in (h) This Appearance in the trine hever." are in the Midneys. Manne Maria Mila in the have no definiteem

neph: Calculora Hora ampbell - labour under pefilite fomplaints & has ally: Tymptoms of afaleulus in her Midneyor. en her brine has the lephea name we ale besitied a few days has. The complains Ther flom ach too. I a Lymph town wi Atten Micates the Presence of a Calculus even in those Pases where no pain has hum felt the Ridneys. Our Patient has complaind Ja Disease of her flomach lufore thefet my thing in her Back. Tury Physician know how Difficult his Disease is to cure . Loap - Lime water Hoap : Lees are Often disto in bain,

nelikeritelier me first formation of the formation of the same A CALL STREET, of the

nephitis Calculora. Altho have in many fases cen them de firone of have ordered her y loa Mri a very astringent madium! - many botting: begetables have fun known to do Juvicion Caleu. Jones Disorders. De Gover tills us of many mes in w: the live Ursi Did wonders. I think I have seen it will withlome Doantage, but in many Instances Thave given it to w: little fueres. altho it is an astring: bitter predicine yet it generally heeles the Bowls Gun. There Joined Officem wither wa wir to howent it punging & Other had Effects of it. This




nephritis Calculosa. Practice DeGesen followr Gresommende. - fwonte Cleirue to you here y: 4 thea Mi does firvies in those ages chiefly Where of Paleuli are in the Bladder.

1997 1197 1197 11962 Printe hat ly in male me the street and vio at Dati is ... eu might hi h hi'c

Palsy. harlotte Grighton - labour under a partial Hemiplagia itwas fruid by an Hysteric affection arising from violent passions of the mind. her Rend Nant appear to be any ways affected. This na emions disease! many duestions might be proposed here as is Commention has the Agsteria w: Paligite lint there will come in hersafter. The has been Thing mustand feed inwandly but with little Boantage. I have Ordered it Hungon to be bruised & applied to the partiaffer. D. Juntind to order hery Hestricity.

विं BREH of the California of the market of the same in the same of the sam The second of th de the lease assent from Cours and of the same and at fine to the sent ways affect or . this and advicable to decing the en the en avo the plant to the

Palsy w. Rhaumatism Matille - has been confiloged 28 from in the Lead Mines, I have leften had y: Volice faturning. The last Fitthehas was about 6 years ago. he now labours mder a painful Paralysis chiefly in is Deltoid Muscle. Palsies fram Hiere wes are very lely timate V differelt offere. - the cold fearon of the year gives wan infavorable Trynosis.




Stone in the Bladden folameron - lahours under aftonien In boladden from batting in with water. - Fineyon here the Cold must have have in a stone. all Calculous mentions wi we blunc in the Goutel white appear to be rather the gusequeme Han y Course of Inflamation,

14年12年11年11年11日 g: sal In left The first that the party hasts (a) tohu british the sind, b : dinthy accur from turgescence of the Fluids. Hum bot is derviciable, on the thirty of Epilopsy


Epilepsy. 4: Camena - labour under a partial Wilepry from a Sudden furfires he has ulsed an artning: antis/ as undie hude: ine, but arithunga him Jehore to lay t ande. be find all was u ations of Horasa the Spilletoy by increasing mobility of the bytem. as the withful funged him we loud it asides & have a Dind him the Clum. The Fractise of Physicians

Theiling. the state of the s 1 mg A. we will have to be the first to be Holle a Carl i Grant a high a light friend in the light will be the light of forisa water the desirable and the second se la dos Or are Manga Lalanda Landa Contraction 20 con Tho : e oe

Spilepsy Im In Engor- labour under an holefish w: does not arise from a de Leditary Disposition hor from any Topical differtion. The Buly thing to bedone in his lase is to avoid all there heasionallauses which induce oren. we are the Spilepay Such as 1: a Methorie state on w: Timagin his Dio: ease defounds. Animal Front tinds to give most hourishment & hourishment wis longest retained in the boody. Whon this hu! I have for bid him all Felesh · Fish - Eggs - Cheese He, & have Browned him to live on begitable especially Frains & Milh & think this hims of



Shilepsy Dit more heufary because the Flater elency heareflains Thows that and by: Atria is connected w: his Willhoy. If this Reason Show for bis him to least too freely of Roots - greens lew are flatulent. 2: Thave forbid him all biolint Ixania which by inducing that may bring ma Vargescence in his Fluids, I wind inewise forbid all pritating Imprefrious. suspect he had a ditt brot on by heaving this lyes irretated by riding for lame time in the Inow. 3: I have Ordered him the Cold. Hathe When the Touther becomes a little war. men as he will probably be Obliged




Shilepsy. to use River or Standing water. The Design of the cold Bathing is to act as Atomi & Antispasien odiv. it Should not be used when the Habit is pletho. rie. it will prevent a Pethora by nerearing the Jone of the befuls to to cause them to overcome the Vistending power of the Selinds. 4: Have around him the fountry , hir because of its uniform Lempera. Ture being generally colder than the Town din w: will tend to brace his Jolies. But he In take the Whost

when the spirit we to a facility and the things in the the Market in fresh.


Thillepsy are to avoid the Meat of the Sun in Jummer time. 5: He Should avoid having Blood acumulated in his head. Whom this hi: Flave Berdered him to heep his Bowds gently Open. The best Midicine for this purpose is fulfilmer. it is gently woling, & never goes to any fuels in its Operation. If this should fail of keeping him Copien, let him tuhe a few Grains I leloes. Jword however have you he eautions in Browing aloves as f think it has been justly accused of Javanning the Piles. I have Brained

Whiles. ha in Blu

Spilepsy him in a particular manner to help I his Bowels Open about the Leulland Jange of the Moon especially, the last 1. Think affects our four ditutions most To Obviate this Jurgescence of Funt he Should lihewise be let blood, w: Bluding Sh: he repeated every Change the thoon Inly in a deminished quanti: ty. It is unhappy that repeated Heiding induces a Plethora, & thus Egten Hun onereased the Diseasets was designed to releive. I know of no the way of preventing these had Effects of Bleeding Than by Duminishing the quantity of/stood



Thillepsy very time we find it necessary to draw it. Jean wi Pleasure inform you that this method of treating the Epslepay has buce. ded in a young man whom That for a Patient Some time ago.



42 Diseases from Puberty Waltidyslop- la bours under an leffetion of the Journach & Intestines. Diseases of the Homach are beldom Schopathie. by mostly arise from leff eithour of Hur parts of the Body. Freive you no theory to explain this, but shall Objerve hat Boyse Girls of a Phligmative: languineoles Temperament who have flaren Hair - pale plumte thin - and The are enclined to be fat blouty age of Puberty lands are very Sulyest tos Direams of the Housaile Suchas Indiger. tion - Siea - logether w: Authoria 1. Wito - Thillepsy - Palpritations of Heart.

to taken or was an all for them lo. and the for the state of the same bring and a children habital and the tural (a) among Other fourplaints Dr fullen ma Observed that eating the least quantity and of Butter brot on him the most violent 14" Sichness & Disorder of his bother Lystem. - h - He was remarkably found of it before, & his application for it neturned after his grad.

Diseases from Suberty to that you dee the Changes of Puberty brings on Diseases in the Unimal has tural & Vital Bregans. They are most realiar to those who here of hasty growth. This was the Case in a very remarkable len hanner in Tryself. Hill Jwas the Gears to de I was a mere Dwarf, but from my nt 1 to my 15 hear Jenen mara doot. This susten Growth brought on me a frain of Diseases more or lefo resembling hore we have hefore mentioned. I do not pretend to explain these twooderful Janges. Jouly lay the Frents before you hat you may belefo Maraned with

interest from a fill the Contract of the state of the st thes. the Harrist Phase do la ral at! ane = eas ha rent

Diseases from Puberty As Diseases When they occur. lirt can do little to releive them. They are gine: rally removed when the Body arrives tits beene. Bach, & alborbent lauth me useful palliatives when the Dis now is feated in the flowerth. colo: hatting - Trucise - I free hir leften under these Diseases less intotterable.

The course of war of the J.M und with the state of Bros cliar do

Catamhus Similis. Hichardson - an Blaman har labour under an fough arising from mucus seneted in too largealferantity inhis Bronchia. This Complaint is peur liar to men, I have has Coltained the hame of Cafamhus Tenilis he complains of a Difficulty of Breathing W: arises from the mucus falling down into his Lungo. his Lego which mostly attends the Catarrhus

a familiar desiration on so the man had been ofthe

Phthisis Pulmonalis Vi. Horge - labour under a Briefient Mhisis. his pulse is 108 or there abouts! its bariations from this don't deserve notice. he feels no Head Bah, non Sebility, nor Theret, nor any ather of the Lymptoms w: belong to a con. timisal Fewer. he coughs pretty much, I begins to be emaciated. he breaths w: Humeri elati, a ymptomo w: indicates interrup. to Respiration, as Several Muscles = are employed to dilate of Thoran ware not employed in a healthy State. his Eyes tively & clean.

34. The interior in the Come is Mis, 1: 200

Phthisis Pulmonalis In Jongue to very dry. all these Jungstome Show a Phothisis to be hretty for advanced. The Prognosis is vry un favourable. The Phthisis Calmonalis arises from te jources 1: a fuppurating Periposeumony. La Homop toc. 3: a batanh 4 from Inbereles. Thowe in my own Practise had many Patients recovered who laboured under Tousumptions from the first 3 faures, best never hour a latint recover who had Lubereles in his Langs.

We ha - hen Mu Jus Jus ap, ons ge

Philisis Pulmonalis be may pronounce a l'athisis to arisel from Fubercles When the Hatint has a Scrophuelous Habit - Wheny: conglomate Glands are Swelled in The fearts of the Body - When the la: tent feels a Difficulty of Breathing on the least motion, & lastly when after dry løngt attends. I sinvagin om present Catienti Disorder arises from Tubercles in his Tungo. The Fuberelie Whear to have discharged matter on he has a Sectio Fever. The dry Jonque Hively Eyes are bad Ligns & Show a Junially Debility to attend. altho

en a lo hem I Polor 11 The 2"

Athisis Pulmonalis have no Hopes of curing him, yet enit wrong ever to desert Patricul plane firantised whon Am w the & following Indications. I do divert the Determination of the Hood to the Jungo. This is to be done ilog avoiding bold for this purpose have ordined him a delanner Thirt & a warm Room. Ihnow of hothing more hurtful to consumptive patient than cold hir in Winter, or the frequent altera Thous of weather in the Spring. 2" By Soues & Whiter . The Jone is the

White winesels moi 2 De 3:13 deter Rot the a in

Mathisis Pulmonalis most constant in its Iffects & removes
Determination to y dangs better y: 4: Blister. 3: by frequent bornits. They act by Warmining to the Shin chiefly. D'Bryan Tobinson was the first who pointedout the lose of Comets in The Heisis's. Soufind In Iften used them w: Jucceps even in Tomoptoes. I have and them my: louse. Innon a Wastitionen Who has cured many Consumpthionsly hothing else but bumits of F houtiti. the Comits do do much Service ; whom

Affilia de la maralle Misla The state of the s 5: By 17 18 ly b. nue let

Phlisis Pulmonalis Mishen: Jobas have not Brown Them now Arean Boords from to our Patient. 1. By Gestation. consisting in 2 Riding 16. Sailing. they both act shiefly the Phint. 11: This Indication consists avoiding very thing that irritates or excites Inflamation. Ouch as i Revid nneus w: ment be bebriated by Mu. rilaginous Drinks Duch as Tem Linibe In By Blood = Lotting . D'Dover about to han ago proposed to cure all Consump: tions by tolerding. in Cases of Damoptoe. I believe it may do Tervice, but in as

MA Acres was been f beco Probab There Lunger thea rot a 3:0/3 leive bight


Phthisis Pulmonalis Phisis arising from Tubonles we ought becautions how we Spill our l'abounts? Hood. Je never ander Mading but Tung see machs of Inflamation on ngueme, but as heither of these have Heard in Our Patients Passe Thave ut avoined Bleeding in his face. 3. By Antiphlogistie Guedines ofevially hirds. Some Consumptions & lie: ive arise from Poutagion, in this wethe Matter contained in y Fuberds is ighly and I may induce a putid Di othisis in the Lys tem. hence the lesqueluels I hidi in obviating & nemoving it.

Supp Hay de of ans Matter the Co


Constadantea. Smegrant - labour water a Corresta Lacthe a Disease w: Infants are very duly just to . hunce its hame because Some who posed it was desired from the Milh how Suched. It may be called y alchores Muthon. They from but a greatdeal of hatter for thier Tire, w: by hardning forms tu Court we see. The Matter is so very ind that it produces new Partectes on very part of the Body w: it touches. our Hiert has a few Pastules on his Belly " I don't theinh arise from his Blood; wing fainted, but from down matter, The Lystem is notwithstanding considerably

Crusta Lactea disordered by such for plaints. All I took whom the Disease to be to - Trical, & Falways treat thuma Hungo ouch, whom this her: I have ently by many hundred w: nothing eln light mohumial Gintment. On great at I he of an Bintment of this hind is for it corremneriles the Pustules & provents ay their extending. The most powerful from medicines in all Custanions Diseasing for are Antinony & mercury marin foined together. I have there fore Bown and bir Patient the Othings line to asial hours


Pruste Laitea. The likewise is Anthinony . But Antimony bet of always cartainted as sold to leo, de majore may produce some good Effects in emid body. That hast of it w: his in the but of the Cone of the line terrony contains eat at Julphur, & Therefore is the better Cleme. is y forit. Now the aid of the Stomach wend ay ait whom the historiony, I thus ful from a hun moinne , but as this is reason precarious, & Deldon Order the Othrops monialis, having hever seen any sommanhable Effects from it. we shall wowen try it in sur Patienti Case. he was hardinal taken F Smothie is: advantage.




Catambof the Bladden Dav: Braintnee un has laboured under a Discharge of Pers - Blood de by the terinary passages. I shall first louse of this fame - in Order to this f Shall first enquire into y matter discharged. is it Muncus or for? wish we had Chemical Taheriments to distinguish them. an ingenerous Justiman who has made a humber of left on them informed me that whom mixing the matter discharge from this notint w By he perceived an condent Herenesceme w: was less evident when fisias alhali to it a bol: What



Catamh of the Blassen Inell was Obtained w: was owing to y: fixed behali decomposing the book for the book the britis & both be both the britishe & both the both alkali at Liberty. Whon expering Ato the livit did not a foume an lastly From, a firem Stance w: distinguis her it from Calculous Mucus. From these the it appears pretty evident that the Matter Discharged from our Patient is mucus: In general fristinguish Museus from Pus By its transhavenuy. Pur having op ahe even when diffulled. 2: By its Consistence having more braidity than lus wi is More broken in its Consistence see fauvage vol:5 p. 204



Catarh of the Bladder little Distinction can be formed from the Imell. for mucus mixed w: Urine aguines a quat Degree of Fator. 3. By being discharged in a greater quan. titel Than in Pases where Pas is Discharged. - no Diagnois can be formed from the pain . Than Seen the same good Degues of Vain in both Pases. From all these firemustances Jam convinced our latintdischarges Tus & not mucus, ty: he has he beleer in y terinary papages. On w: Does y: Discharge of Mucus depend? On 1: a Stone on 2: On Some Other Pause un howen. - let us engine wi are y fymptoms Sind of pephritie Complaints which




Catamh of the Poladden always precede a ftone in y: Blasser But this proves holling tones may be formed in the Bladder without any hephritic Complaints preceding. Dury thing y Teherates of mucus from the Bladden may afford a Muchus for a Hone. Mnorgagni mentions a vernankable Instance of a Jen He man Whom he difected having Home formed around a price of wire which he thrust who There Some years before. nother is The Albrence of Hony matter in y levine a sign of no How in y boladder, for Ridnen living have this Urine.

che this was y fare in a remarkable manner in a Person who took Mi Stegen i modiume for a while. whom being dearshed no flore was Janno, but whom buring difficulted up his death a large stone was when up in a membrane was found.

Catanh of the toladder But Inther our latient has been Jean hed & no from felt. eventhis may happen & yet a stone tee present as they are Often wrap. hain mueus, or investing w: a membrane w: prevents their foling felt. Jeanelide then our latint may have a Home, but I think he have no proofs of it. on w: Then does the Discharge of y tours depunds! Lieutand desnibus a Catarrhoj the Bladder which indeed appears to have howover to many anthon before him, more espicially to bone tus. Di Hofman gives les two lases of it under the

wilson the of the Man he has her taking per here al de la company and made the same that the sam the Course of the same of the (a) Inflamation may bring it ans by increasing y Linnblity of the huhof the Poladden.

Catamhof the Abladden Title of Domorrhoides besieve, w: The Stablians Suppose to be a vicarious Discharge fory Supprepionof the Menses, From all this you de a hretunatural Discharge of mucus may take place from the Bladder without the Presence of Stone. Gouty Vatients are very subject to it insomuch y: it dome. : Ames brings an a Strangury, But we have no Heasan to dustreet an hrthriti affation in am Patient. - w: Then does brings on this Ixon, : hon of mer cus from his Bladden? - Josephet a particular Fusion of the Bladder. Jam y mone



Catamh of the Bladden. confirmed in this from y Largeon Who Searched him feeling a Jumon When he introduced the Lound. He has long tooky wallmit no hunhore. It is hard to tellew: maines to order him. Lehimous Jumor are as it were out of the own of the Circulation do y's have little blokes from the lieuta. Throw I Mothing butter for him y: Murury, I fear inform for that I have latity seen it do great Leverice in Complaints of a like hature.

of the believed or And for he rounded him fuering a during I for head for he of those thore to the least to the so. Por hus to the dear finish. Lah who Par n a

Paralysis Tenilis Luchman - has long bun expond to great Tratique in wet & coto beature. - has been in a Kabit of drinking brandy w. you how weakens the huvous Lystem, & joined w hard Johns brings on Ald lige immaturely. Whom this lie ; I call his Disease Paralysis Limilio w: is a Debility in all the bolount: Inchions without en entire Toje from in them. he has no loss of Jense he Lays nt he is no finger of this, for we have proofs of Jense being destroyed?

Cheding of the season. best from the first con pain 's we into of J. : ple Men from the


Paralysis Timilis haten amstard to his Timber for a considerable fories him he felt no hain from it. his Disease arisufrom weahind Inflint of the herons Inergy into his Immeles. hime arises a bant of Tension, & the romors he even: plains off. for the lection of all y: museles in the Body depends whom Lust ain Degree of Tension either from antagonist muscles or from the Kantractility & Elasticity of the museles themselves. & when these are Destroyed or lesimo, a Evant of Jusium or Truchers fullow. There

Muselina de afr adol from the filler ton ford or the season of the seas - Jr The file of the contract und. und has A Hardy H aby ase 

85 Paraly is Tenilis appears then to he a deministed tonie from in Bur patients Case. - Fremore then Bught to hearranged under the Caralytic Diseases & hot under the Debilities as mi Sauvage has done. from this "done it not appear propen to Distinguish Palsies acording to their Degrees. But l'atuite are I think Aughtonly to be called. a simple atonia. what is the proximate ausig this atoria? - hot Comprepion. for we have no Ligns of bunous Rethora w: do bytun bring on

2.54 Enrichment . P. Chini Pal in his production of the second Au - M And Maria Ma Y for Parse of have Hein Dergheiming thing

Paralysis Linilis. Policies in Ald ago. What then is An proximate facese of his Disease? -- Why there is a certain period indife in w: the heres becames les sensible Hospions les irritable in fonde. Jumes a Change induced in y Tensorium muely by age. upon this hie ? have show to call his Disease ho: ling else but the Caralysis Senilis. have tout little Kaper of evering in, as we cannot renew the wastes fhature. his lige (being 50) - the Inflower Augether wig Duration I his Disease all afford us a most



Paralysis Temilis un favourable Prognosies. These thurstone Siprified him lefter trying the com: non Paralytic medicines whom him to no punpose.

whi. hou hada have 2.

Palsy from Gold 1: leardon - About 6 months ly received a Contusion by his Buch which appeared to be removed by the brof some rummon medicines, his modulla Thinalis did not appear to have buffered any Injury, north think it would have acted as the lause of his Disease of rather choose to stribute his Direase we is of y Partial kind to the Effects of fold to wi he was long expond, & frama: he duffind & great deal in form: last at w: time the low was intense that

the The this ? Cart offel lax = Dispu refu otile low. cale Alug

Palsy from Cold the mercury fell below o'of Fauer huits Thumandetie. he was employed during his time in Standing without the last Gereise wi favoured & Charation Hold on his herves. he is Besides of a by Habit, & Marylore Sumed to be Jue: Disposed to this Palsy . the first Complaints uflet were in his Toes from whem it une gradually to his Hihs. In how till danne Perstron & Lerre inhis over Atmities so y: we must in ale it a Partial Palsy. When is Infrom inste faure of his Disease Seated? why in the midulla Thinalis. To

10 1 who 99 it in twe rem put a Aten 4 while to his fine ing (

Salsy from Cold to not imaginit arises from Compulous whom the midulla. a lause w: most Ilhysicians have abused by calling t in to amount for all lanes of Palsy. the Often find Strineli to y Istremities unove Palsies. Lunely these outs. Int act by runsving Companyion orpos. witing the lebrorption of Jerum 2: Besides we Stru Lee Palsies eventime uniformly tu dame for 20 quaro, now if these were wing to Comprepion, they i compress y Courses would certainly produce a Thomand Other Complaints . \$ 30 Phave Leen many Paralytic patients

Tally from the Diffe And the state of the state of Brig · Juicons Han Puti un ra!

Palsy from Cold differented & get nothing the Compression has been distinguishDeither in the Prigin or prose of the Revues. Jam At to think thou Jumors or If him of Jum w Boneties & Inongue = in Speak off were rather the Coursey: Hun the lause of this Disease . Who! ve Oftendu Palsies bist on by Intallie Lames, & things of y hature. to now in these Pases we are sure no: ing like Compression can act as the unse of Palsy. I would rather choose to attribute the proximatifause of his Disorder to a in

will many hotel mad he then for their find for him marie Distinguisties in the how The state of the s My or emining with his har person to the state of the stat William of their Secretary and it is in the line with the call and a different of the formation of the same of the sa

Palsy from Pold hant of Excitement in the Tensorium on hous many Poisons & evenfold they we had tend to take of this xcitement from the Vorain & herves Mout inducing any thing like form: resion. I take our Patients Case to La Species of that Jenus of Palsy alud by Sauvage Parapliaia. but he takes no hotie of any Theires jit arining from Cold attho we have nany Instances of straining from that is There are two Syprestoms in this Patient's fanc l'ui veguine Ispla: nation 1: a Laboutters in his

in the first for the course or Lines The Wallson on Harran follow bun harden the the land of this at heme Defoffman sags solften a atonia zignit Prasmoi 2: Le a fair of the a color Pasei Iron

Paling from Cold Limbs. This arises from q: Palsy hot bung complete but defrands whom n letonia, for all members in an Home State are blable not only to runors but Spasms V Subrattos. The Progenstom is a Tain whe feels in 5: brusty tri Limby this is a common palsius, & sums to depend from an litomia in the Blood befulow: 5 courses them to zico to the Impetus of the had, & de induces a Distention wi auto " the proximate Cause of his pains, the rquisite frain of the Thumatism may teach us how duadful y Effects of In over Distension of the befuls are.

Salsy from Cold. The Indications of fune in this l'atient - ease one must relate to the proxima Cause but of thise we shall treat m Jully when eve where given a comfre himsive bien of ally and capable of broduing Taling.

Palsies Paralysis Theirs ex Dipertatione Sub Prosidio Sam: Hurillis P. Whoal. memb, apopletia sivees bito In: -chphali Theires 1, a. P.A. a largiori Cibo Varietat: il, lib Exercitio Den Mixee , c, ab thrietate , d, Ab Refrigeratione , e, la himia Papitis Jonealementia I , Febribus acutis d'upervisions 18, a henen is. Species 2 P. A Janguines: Spasmodies. ca, ex animi leffertu Variet. (b, Ph Intention fluois Higilis. ( 4, Febre intermitti Suhervenium , d, exaloribus colicis, ber. = minoris, Hyporomoniasis et

[ Elsies Taraligio of fraise exalipertation The not the days Hurilling the Va nomber Theplanding wines hite he Lop million the first state of the The Marie derie Cone of hater the day to day ent of the factorion

Palsies Theries 2 P. a Sanjuines Spannodica. varid: e, ly Spilepsia D, ex bemis Uses. Sepecies 3. P.A. Danjuinas. Metastatica basist: , a, arthritica le, le hanthematis repulsis , e, Ab Alecribus Sanatis d, benerea. e. Ischuria Species 4 P. A. Sanguinea abextirna Capitis Locione. Theries 5. P.A. Pituitora wel lethangica memb: II S. alog: Lesione Capitis ! ffina Theirs 1 P. J. Remipleative ex humore schimoro Pervicio. Theries . 2 Hemipleetica port tertiam. Februm ortam. Bachialgia nun hemiplectica. men Spe The She The the AND AND A , A & - 144 S L 1/2 me. the the fire

Palsies memb 11. S. alog: Lasione Capitis F. Spinalis Species to P. J. Hemiplutica & paraplutica la tuum in feriorum benerea. Species 5. Saraplutica ex difficili partie. Species 6 Parapleetica ex Inflammatione et Subraquente Abreefou imis humbis. Theries of Ohannatica. their & have paraplectica, nune Lingularium partium a caus is odeultificanio. Presies 9 Hemipletiea vel franklutica vel singularium partium losione. memb: III Singulis. Theirs 1 Singularis es Stagnante Janquine Theires 20. fingulario ex collecto pane fries 3. P. Jingularis rheumatica. Hieres 4 8. Jing ularis Gerof hulora Phuies 5: P. fingularis a losione externo baria.

me to the Made having he was found to the British is and the formal desired the same The Palu How the hand from the form Pao ral ! to a serie to the latest and the lat Read Pals. gno. Ma

Palsy This author has very ingeneously disting: Palies into General Sparticulars lette to not think his Reasons for it are just, for be do not always find Gune. ral Paloies Lucied affections of the Read, hor do we always des particular Palsies follow an liffertion of a dinke know or of the spine. We have an his of a Defection in the memoirs of & Royal heading of Junes in Paris of alman who died of a partial Palsy Ityet his Frain was found affected w: Tumors. Instead there fore of distinguishing Palsies by thin feat & would only huse

todis Pafra hrve mot To A lung casional orde him Thum Three Book

78 Salsy to Distinguish Thy their proximate auses how are I thou things w abstract the afrage of the hervons This the hoves & 2. Those things wi destroy the mobility of the huroons Fluid. to the 1 belong tracions - Jumon, and way thing w: Blistrut the communica ordinate lamprepions w: and two linds. I moveable Pauses duch as bluids wi may act either by a , over Distintion, or, E, by Efferion, or 2 fixed muses such as Jumos in (a Theres tunselves, or il, parts adjacent, ce, matures, Remi as He de, extransono vodies either generated or introduced in

Lig nal this the of an The Shiry Fluid e, Il prises hour

Palsy Intrody, e, estimal Compression Such , Ligatures &Le. 1 Other Pauses have been Supposed Such ma bifirdity of the matter circulating the heroes, but we have he proofs fany falsies arising from Justia Course. the 2" General Read of fauns are those mings widestroy the mobility of y himous bluid. These Courses are a, Gold, le, Typnotii fulitances, c, listringent Jubitances duch as the Tennes of Las te, d, certain begitables that are not reducable to either of these Reads e, Tapions of the himd. Form unwholur prised to find De Boerhaue & m: Janvage have amitted to take hoter of this have

, f., Five Kem helled . mean Mare. hit of he with Inst indu nble Thuis

Salig So, Lever - we have Leveral Instanus of Fiver leaving Paralytic Affections bearing tun in a Frever the Polood is in. bled w! bioleme into the Grain by w: neans Impactions & Blishmetions are left The this indeed would neduce it to In I Hear big of Compressions, but beleive Lever may Laure a Valy vithant Oly function. Hus we see Instances of Paraly to affections in the dd Fitt of Intermit # 5 France. the same aux then that induced From may induce Palsy, it may like wise follow Four to him the Meants Cution to room The to restone the Mobility to Muturous third for in all Trevers it tends to an Immobility.

131 more the tenne december of themes account of the later of the lat Aften The Diora mure in Binney Easters Bur ing in the m there of the adjust moilil hise

Palsy 13, Jain by inducing an atonia Un occasiones Palsies moreespeciales Theumatim Gout, I several convuliue horders. It, barious liffertions of the hancular parts of the body, duck sog: ber Izereise of a muscle, & its too by fontinance in an inactive state. t, Old-lige. Our dystern hafres this many Degrees of Smitability & Jon. wibility that it at last in Same heasure wer them both. In w: Mannen do Pase lan ses operate de as to induce the Immobility of the hierous Filiand of modiately velate to our present fulgat.

the las alsy lathing Mary works in of ali inde ing fr

Salsy From this bien of the facuses of Palices re der they are Often Lymptomatic asin te Pare of Combine From Lumors: in la fare unless we nemove y Comprepion I shall never be able to were the dry. Palsies may be said to before. hattin when they arise from an accumula. on of Weard in the Torain more espacially a henous Methora, there him of alsies we said dehended on Movea. befauses. They are therefore to beremoved y Polood letting - Blistero - Letons de Tals is from offused Thirds are of two inde i Anous são Astado w is incurable L'é frahr d'erum w: is often realsorhed. There are common Districtions

they be the second the former of the sine of life a face the step on peternation was u of The state of the s whon E for some in some of four forther 1 km The second of th Na and the second of the second o In Il this & the Ly

Palsy Alpophisis & Palsius. The Lesous Offerions u of two hinds i when it Depends from a pretunatural accumulation of it in Amain & 2: When it deliends whom Maundany of Lerum in the Body which igenerally accompanied w: Deopsical tollings in dame part of the Body. his last him of Lerous Effusions belong to L'Aprifetornatie Causes. in these Cases imulants are very usful but in to former fare Sterinulants are as hurtful Dangerous as in the pure Songuineous Whohlery or Palsy. I go on to Speak of the Removal Those famous w: Affect the Mobility of the hervous Filinio. did we herow how

Just of the feeling. The freeze of floring And for the state of the state a transfer the constitute of iting die and it is a second to the second that minds the state of Surviva de la constant de la constan 1 the to the state of th Pafii a tofo The same and the s Auch

Palsy fun lauses Operate we the les les Ableto Weak w. more Precision of means fixeiting the hervous powers we shall Infore proceed Impinially & Speech the barious Plemeries und in these Jus. These are 1 exciting the bution The will as in the desceral stringleting afrions we before Spoke of the Ledative refeions formations from thisulating where Fran- Joy He. It is Sometimes Hoult to excite these Papions, & still more so to regulate them. Thave moun a man whoma dangue was haralytic, I get whom being know her he showing readily. I'm ky breiting the from of the.

artes and therein of the second to t givu eners dom and the second with far ) Jums enfu ong

Malsy. arterial Lystem. Blood when thrown to the Brain & muncles of Body jour Lension & often induces and perases Mobility. henus Fever has Sometimes removed Palsius, altho it is ar from proving a general lune . I have Sometimes seen it bring andeath Whenially in those Palsies w: arise from ongestions of Polond in the Brain. Iways pronounce a Henri Dagia arising from Apoplery to be more or lesidangerous merding to the Degree of Freven willtinds, But hotwithtanding this, Those Salsies is: find whom a Deminished mobility of The hurrous of his may be removed by

Walley. Lysten : 13 las when the fw. the air the desire of the state of or cas very The state of the state of Unteri need teit ines a Cart map on o

Salsy for that we cannot always a freven pregulate it when brot on for my increased lution of the Heart & Itinis is not a Trever a colo Fift smit. muede this increased action to Demonin tit a drever, all flimulating Sudi: ines act by enercasing the Cution of the last & lefteries, and thus bring on more Thing Libres. Sweet them autony Jumple Thingstones. Therese theres . There are the uniformly thindlating, or only rasionally do . Opium &most of the Partie midieines act in this last hay. Minnes are exactly Stringlating &

"There a transmiss . It is to said they Who samuel allering wind late the laste of the state of the said Lu It have to the will be the former to thre i's manife to the said it is sev. The first the first the Lium Pas The state of the s 1. die These remains alei hy in A nt?


Salsy What flathie. But I would blieve tatale there and innes Where fida. Laudities are very Obvious Huniform this Efects and hastful in paralytic www. uspon this aux: I would neject nium & even Carenthon from being useful Palsies . The Hunulating Prodicines ay be divided into three hinds. · Fetid medicines. There pluline are En Ledative, but as more or left of Sparmodie Affection generally attends Paleis they array he with adoantage. - Whom the whole fraunot vay much in their Lavour having Often und Them but huir w: any great Successo.

38 ti da him their frame the over B. 6 the start throat he A thin The seal seal that the party hout Good tonus 1 de ber hart / the ban

Salsy b. bromatie stimulants. These have en much ex tolles in Radsies, but thinh Bith little Loundation. Their timulas is generally confined to one hant, It upole that au: they do moomon Good Atran any Other inglamatory Julilanus would blo. Nesemary - Betong & whelong to this Play of midisines . formy at fhave no great aprincion of them wen Divine in this Disease. C. Simply acrid Mudicines. ware histher homati nor joted Luch as Sopher. - the filiguore or Letradynamia sinnous may likewise be classes line In their Dilvision of Medicines, they

Millery. at be seemed to see to the me having at tothe sur having the wast of the first the said Kat the A any of the series and commence gen leto. Wille ture tas rut me

Porlsy. I thinulate without exceting Inflammation. whappily their activity is so great tat we cannot introduce them into the Body in Sufficient quantities to do my lonsiderable fireice. They are Junevally given in the From in wha: to presents them to us . here mus: tard Hyarlie are always given Whole, ut I believe their bistues are seldom wolved by the powers of the Lystem. J lave given Ziv of mustand a day & It my Patient felt not the least meoneonvenience from it. Whouther lie: twent to be wished we could improve our thathor of administring them.




d. Volatile libbaline falts are the most howerful of any of the stimuti. The timulus is immediately diffused all our the Lystem, but Muhappills thus Heets are of Short Denation. Whom the Whole of think they are the Safest and nort efficacions et any of thistimulating ubstances we have spoke of. all thise Stimulating medicines out were by exciting the action of the last of Anteries Have by Strinulating the his vous Lystem. On this is The must be in giving theten in Pallies

× 04 aring a to make the distance of the second must ! any. A TO A TO A STATE OF THE PARTY in al Blas in a A Comment of the second Chi hou port Leur


Pality arising from the Lett offaures we muntiloned first. They are more experially ungerous when they excite a feweated in all laser where there are Congestions of Blood. The Jweats that are excited in a Paling never extended to the paris the Links. Those stringlants wiat. how the befrels of the liffeeted parts are ort useful. Flmetti is aftimulus His kind. I have given it for time to a Patient in the Infirming who has un much Releived by it is it has creted whiefly by exciting a facat in the parts affected. 9 Hitatural Jamulating applications a, bomits enay be brot airen this

Ma yain Pause at the first of a 14 now Kar : hos


Palsy Mad. many Dispasetes have been un paintained concerning the propriety of them. à l'alsies arising from thu Languinens unes before treated of they are hurtful, but in those hind of Palsies we are now treating off they are very buful. - they Do not quicken the lution of eart & activies as Some have Sup. hored. They may even jiv en en falty "Hour orrhages so little do they quick. en the circulation. Jewould therefore meanmend them in Palicis, Heary Lay there Often used them wi Inecess. 161 the Motion of the Body. all brenise The Body is useful indetermining




Palsy the Blow inte the Muncles & thus seiting their lestron. in lases of Pemiplagia ne always find y tower Atremities secover fint if the Patient able to walk, long before any other haut of the body. De Mer of Brechin has latity euros Leveral Palsies of the ther Intremities before any Other part the Body, Timely by List hending wights thun! all dudden violent motions Their ally if they are of the Convulsive kind an useful hence the action of Ince: temestories the as fluidants on




94 Palsy bacuasets. The as arum auswers the at Intention best. The Furpith Mine. mal is very efficacious in both ways. tis a powerful Stringlant & induces Lerous Discharge from the how that Cometines gives great Roleif in Ulices arising from derous Husions. for will readily der there him of emedies will do Harm in the one ulsies arising from Languine Conges: tions. I have deeman annaurosis uned intirely by Incuring. 4. Frietion. This is a bright fama: · lant & is applied immidiately




to the feat of the Disease itself. it & Hours always be used as Levern Ruborem'. the Flesh frush is the but means of applying it, & is how howerful than the Flannels ware Just Brush or Flannel w: aroma tripulations of the lamber Harm Ham Jood. it first de reites & Supports the mobility of the noons Fluid. It is applied in two Ways, humid Haley. The 1: is in y. norm of the waren to ater. I have little I pendance upon the water in this are. -purhaits it may but by deriving the Vis hurve a from y Brain, but this




95 Palsy i doubtful. He the troing Films are very topid the warm bath may do ham by rarefying the Blood. Who on this Cu! It Should never be used in Languine Polices. I have Leen it Sametimes moderce an alpopling & Death and Wis called the Catanhas Suffocations in Palsies arising from Congestions of blood. I would chase generally to estrict the lise of the warm: Bath ofto rantial Palsies. Where the Lensorium is affected of think thay are dangerous Aften prove fatal Remodies. His a matter of little Consequence what




Palsy the loater is impregnated with. the Reason Why more were areper formed at Bath the are else where is owing Then greater & more uniform Heat that to their containing any hime, ral Jubstances in Them. This is knowed from the Thermo of Bohemia doing and Survice w: The Therma of Both. ramination are found to contain not the least particle of any him of minual in them. They any equal the Waters of Batte in their timperature,



Palse. in Palsies. This dry Meat was formerly applied by butting the Patient in a box in Such a Mannen that the Reat might at on every part of the Body exult The Mead. But in particular Palsies Such a Boy Should be contrived as to apply the Reat to the Limbs that are the Diseased, I have therefore one it to the Patient whorefase was the ubject of the Discourse on palsy. The Reat in this dry From is more uniform than the Meat of warm water. It moreover promotes a fercat without in the least quickning the lution of the React. it : Oution appears to be chiefly




Palsy confined to the arteries of the fronts æ, bold has been employed with Juccep ai welle as Reat in Palnix. · bold we all how is a howerful fturnlant. when we employ it it thould not be eventimed long as it acts as a fedative when long contrisued. But The Jenne is impaired or deministed it is a very always be applied Luddenly. 1. Blisters. These apresate as Itimelants I tracuants. Junagin they chiefly And they are very useful I in all ases Where the Ineaphelon is conserved in the Disease. They art hot only by evacuating




Palsy from, but by deriving all the parts of the bylowd to the place to w: They are applied. I much Doubt Whather Whesters ver act as fteinulants in Palsies. in Hevens they do strinulate, but that very inconsiderably. Their Stringlus is generally confined to the first few hours they are applied. befrom the whole then they tous than in the last Theirs we shohaff. of Rube facientia - thenare much hor useful than Volisters the hurhaps they aut in the Laure way. The Inflam. mation they art continues longer whon the and of no firmer i being effused

· 48. Elle : rate to tun 9 Raw a 16/10 bile (c)


Palsy to Cebate the Inflammation - the Rubefacientia are la paine: ral acids wi whom the line of their thingth must always be uniaed w. toma bland bil. Jeant say Jever law any runarhable Uffects from them, a muliete better application in the 6/ Volatile alhalies this should be do Teplied as hot to produce Inflam: nation or like shall be Obliged to lay them aride. Due good thing from them is 9: the fuglammation even when excited is Loon nemoved. (c) Mustaid feed when prepared en we Juvally do for Diet is an admirable




Palsy midieine & by far the best of ling of tu Rubefacientia. hene a duestion veurs willigand to the her of thate. laientia. Shout we endeavour to Obtein Thee fluir ulating without their Influmatory Huts? I think we thould. The Inflamen mation by no breams outs do power. Ily ar as strinulus as strinuli de Mun: Alves . upon this au falways order tum all to be washed off as Loones the hant full any considualled egree of pain from them. When they are applied way Day Aley Leurs to Do most firvice. id, the Fall of water from a Hight the water here I believe acts merely from




Palsy Perceipion, & has Often Done conside; : rable fuvier when Other things have failed. I. Electric Thoch. This is youly. Fimulus Hut directly excites the Munches to action. While all the atherstie muli but indirectly whom the muscles. - It is a hower y: in a certain Degree 9:2 an destroy Life itself by destroying the her. & Lystein . how it does this we cannot returd to day, it may be by its hedu. tive Effects. as it is formetimes adam. mous midieine falways begin w: apr. finitivery gradually to as to Aletain itsti: dang without its fedative Uffects. in Palines ming from Congestion of bolood in the




10/2-Palsy Brain it is an Dangerous Unidicine. Thave deen instant Deaths brot on by It in Such fases. The floor of Mutie ity th? always be caufined to the atremities & even Luffened to hup no the Grain, as there it exercises its fedative It hustful officts. whon y hole Jumiden it is a howerful & Then frudently und an excellent the




Transhimatous Fever Marg: Turnine - har had several Pary: isms of Frever tustich always termi: tohun they went off in a cutaneous Phogoris. to understand the hature of this truption take hotrie that in all Frevers the Blood is Directed to the Min, been most of Fewer tuminate in weat or buttons of diffinitheinds. That either in the halation from the Extremities of The befrels or in Husions under the luticle. in the last Case a more than ordinary Juantity of Astood is determined to in this. - There I suptive Frevers are of two kinds Thou wi out as Ferments on the this aprimilating there all the Gratters bist




Exanthematous Foren. 106 to them such as the fmult- post marles. o 2. men druhtwin woutfulpuration attended w: Redness swelling and finze Aftehing. These Zuchtigns are formed hom am Fluids & do not depend on many matters introduced into y Body. Wefind brang. People cannot even weat without having this hup trons. These Inflam? Trustions are of two kinds. I duele as are formed in y boody I tuch as defreid on Contagion or external ourses. These last are not to liable to be lip Danger than the first hind.



Hanthematous Leven all these Temptive Frever attach o mon or les pain in the stomach. - This defrend whom a particulo flate of the furface of the Body wine find unarhably connected in the Stomach Vare always proportionally to and another the Stomach when acted On reacts on This I thus promotes the truston. hence we find druptions ony thin Hen brot on merely by airid on hanticular full stances tuhen in to the Hamach. Frish beeven Crabs Lyes have been human to produce these Huts. we are vure they Act by their




Tyan Mematous Frever Murence in the Hourach on their Hests Spear too love to suppose they entend or acted afron the bolowd. from this you see that affections of tuftomach an eafrable of produing brup: in our the thin Fray not certain Effections of the ftomach without any for: n maken introdued into it occasion instions on the shin? a particular state t The Weens we Often see affects the Homade in a neurarhable branner opez isly At the approach of themotion induch a branner as to bring Ou ar the Pase is our Patient . her bruttion




14 anthematous Lewer - 109 appeared just before her mises came du, Il francis france Said Leems entire. ly to have been produced by antiffection fhu Stomach. mittiod offure. This consists 1: du given bounits which may act either by evacuating something moduced or generated by & Disease in the Stomach or by determining the Folias 2" By giving an trinomial medicines which act alike upon the ftomach & Jungare of the Skin .

the dua 100 1 lens 2 and al


Tiever In heating of Frever I shall only mention Their general Phanomena soutadvancing any proofs of wif adduce. - Tweny Freer is ushered in w: a Cold: Fitt. This takes place in 99 out of all 100. There may be dome for Isceptions but Ix ceptio even tollit be gulam During the cold Litt we have y most and watered mosts of the hel, els every There. Hais is evidient liftom the valences - Drynes - Hooldness of the Shin 1: from the palonep of the horine from Keernomhages beingduffrested




Fever during the cold Fith & 4 from Furnon Subsiding & Souptie going in whom the Cucepion of the a This cold Fitt for the most part and is a hot One during w: the Cention 12 of the Meant & Antinis are encre: sed. Fir the cold Fith that mojurly contitutes the Former. The hot Fift is an hertion of the bis hature medicating to remove the cold Fit. the cold Fritt is properly a dymptoma Morbi is defrending inediately whom the hon imate ause. It is called by Hall Tymptoma papiera. The hot Feith is the




Lever Tymp tomahetina of De Gaubice. - all the fires of Phanomena ve have me whomed are turninated tometimes in a few hours, but how very Efter than Chanomena Lucied after briger or shorter Intervals. The longest Interes in generally at an fortunal of 18 homes. - Hnever exceeds 72 hours, blut Celdom arrives at this. The thortest Interval is generally 12 hours & never if . The Intervals of the cold Fritt are ileid up w: the hot Fish or apyresia. - The longer the lepyrenia the shorter the Paryonism. hence we generally jund the cold Litt of a Guartan and the




is always is shortest, & the cold Fift of a quotidiam always longest. in many Coses of Frewer the paryonism fills who the Whole Interval insomuch that there is no leptprexia intervenes. I believe Here is no Luch Huigs as eventimenal Freners . Junever Saw a Particulanos Fover continue more than 18 hours, without down Rumipion. hence we of blungs see Haurbations & Remissions Lever twice every 24 hours. from 36 Years practise of have constantly Journa this to be the Case, Linounthis by huis af Fevere we divide themeinto




Flever ntemittents & Remittents. for we atterly exclude the hotion of eon mal Levers. The Remittents have bun divided unto continual Remit: Into & Simply "Remittentes" By which be mean that when Frans return is an evident Cold Fith May are alled with they are alled · Remittents. but when they netwon without a cold with or wilsacerbations of only then they are called Continual Remitteents', Voun those revers which are continual Remit. Thave a negular braunbationevery thud or Li Day. Other Distinctions




Frever of Freven are to hen from y hature or livenonstances of the Paryorism in Those Cases where a critical from does not descreed a Paryonism or When an Apyreria don not follow we find the Courses w produced the frist First Hill continue de as to produce Other Fitts the left behement than the first. in these Cases the hot Fift is too week t to overthrow the Resistance or the Peistame too great to be overcome by the not Titt! the last is most generally the face. It may operate in two Ways either i: in preventing Musion=




Freven stin of a hot Titt or 2" in nesisting it! Then formed. When this is the Case Leath must be the Consequence if a continued two long. The first is generally alled a hervous, the last an Inglama. tory frever. The Course of Fiever must there fore lu of two kinds as it is w: approise on without it in the first we can arthy howenting the Return of Paryonisms. the What by negulating the Fitts in a due manner. het Fritte are often insuffer toomseint to oversome the Resistance muely by being too trioleut. hence Then our Indications of Cure hunt




Fever. be either to moderate the Filts of Thate lugion by Speaking of the Cure of thon Fevers into hich there is an evident apyresia Here Fevers you know are called for: trmittents the Means of evering there linded Frevers are various we shall men tion each of them briefly. I. By exciting a Frever just before the approach of the Seither. His factor teven may be excited (a) By the hot Fath, b, By the cold Bath, c, By hereise. We have many Instances of bun ling cured an hour or two beforether Fitt of an Intermit! I even was enfredly ? getting up an a hrotting flore Lvis.



Flever d, By Inedicines - whichave of two hind i heutral falts. for they art in a man, . un analogous to the cold bath. They Soon long bring on a Glowing Heat which termi nates influent. The most common huntral latt un fologid is fal Ammoniae. 2: Medicines eure Intermettents that are Stimulating. Pepper de have Attenhein inplay a for this truspose is fucesto. all this means of seiting a Flower hre precarious Remedies. They Often Aggravate legtorio the Disease especially The last medicines we floor off. the Other may be used w. more fafty. great judge. ment is necessary in dusporting & regulating then excited Fevers.



Lever It the Second Mother of fure consists in removing that finsibility & Smitability which lays the Foundation for y letonia that brings on the Tham which is the Cause of the Cold First. The Remedies which answer this Indication are 2 Opinen. This is often and whereby in drown s more experially in drand. - The hucients tihewise und it every Juli Apply in all kinds of Fewers. The totanost Pendenu Hantion are necessary in giving it is Regard to its Done If the time? gwing it. Lee D'of tooch lefron this judgest - for my fact flave not employed it dufficiently to recommend it to your




Liver b, Perivian Bark u Johale not hine unsiden its modus Ofmandi. We are pure it is a succepful medicine . I believe many better Bitters if employed ina du Guantity would cure Intersnellents as well as back. Simble astringents & Bitters of artingents joined together, are grally framerful w: the Bouch. J nountion this because many people are rejudiced by: the Back Leannot be persuaded to take it. Besides a Phy: tician is Often so situated as y he cannot get it in dufficient Grantities to answer all the Demands he has for it.

I that here give your same general


Dire 10 al ni ve a 4/i

Fever Directions concerning the manner of exhibiting the Back. ja Sufficient frantity of the Back is absolutely herestary to care an Inter-: mitting Fever. løhen given in too es Amale quantities does harm by weakning the cold Fith, & Ames Often chang: an Intermetting into a continual twer. no Grantity hudu fois Inflicient to remove the Fift of an Intermittent, hor indend the quantity ever exces zif. tuhe hotie here gi buly Speak of the Intermittentimethis ountry in Other Countries a greater quantity may be mue frany.




Lever 2" the Back Should always be given in hear as possible to the time we espect the Litt. I have deen several Bunes of Bank given to no purpose us in Junetans on the intermedial ago The Fitts, but Joj has entirely run oueditaken given om the day we wheeted the Fever. Thou known Sij une a tection just bu fore we exputed to approach when given all at a Dose, but for stomach will be as this Grantity of Back. Zi is generally a Sufficient Done for most of Homeach & when given in this quantity for may be given in dix hours w: is sufficient to prevent the Return


M. 7. Fish less hole ita · hy the the m any leave, if we find it incomments give the by the bole 6 Don of & each at an hours 3. After the dritts are cured it is of great " onsequence to present the Return of hum. the Disposition to them continues for rany months in the body & the least Reasional Pause will bring them majain. To Obviate this Disposition to the Return of Fith, we must contiz me to give the Bark for Lome time Mtu they au nemoved. It is not duffic int to give a few Dour ofit. large & frequent Dones the le given for if the Fever returns again, it will be truch



Liver more violent than before acording to " we said before. The list time of giving by it is as a Suventative is a few hours Ilone worden the time in w: the is Fitt unally happens. her then " inumstances attended to fam Som y Buch w? be escape a great deal of ensure in the lune of Intermittents Thyricians would treat y:w: more heafs. 4, Joine Medicines. There are taken chiefly from Minualfubetances they one supposed to act in & same Inanner as back, but this is not also per place to enquine in to this question. The Installie Substances most commonly




Tweer und au i americe & 2" Preparations of Topper. en to the if have never get ty indit & therefore cannot necommend. it. Deftork wondennes it. read His Works upon this fulyest . as the 2 of carried us Speak more emplointly of its birtus. a late ingenious Pubil of mine her lately informed me of its less fulnes in Intermittent of thinh I have used \* wi havantage. De these tonic winnes as Joan hefore act like 9 track? Der do they art mirely on mut: his? - Let us frist Sheak of Ten of mettics as a means of preventing Titte . I have found I hmothic very officacions in howeverting Titts if given




Fiver an hour before we expect it in such Down as hot to excite a bouniting. They ut either by preventing a cold with, or thortning the hot Fitt. The line of this Numedy does not require the same here: very in administring it as the atten means we have sprohe of. They may be given w: equal fafety at in all flages of the Disease, but wi most freech of that the Patient may ful some fichness just as the Titt comes on. The vanne four tion this be used in giving bornit in Interestituts. Therfore conclude that I cannot determine whether the Preparations offopper act as a tonic

ay i If winds for some 1 An ting Teve 3 000


maicine or as metties. if in the last way it has no hovantage over the H matter. Jourput oven the Arrenice will may act in the same way. We come now to treat of the line of those Fevers w: are any Memit: ting or where no lepyrenia attends. here we can linky regulate the Litts of Fever. The hot Litt is designed to re: move the fasm from Lut of it Sametimes faile of its Effect: By not being Sufficiently excited, w: Upends on a, the prowers of hature being too weah, by whom the Cold Little being violent & theis preventing the



Lewen hot Fittilling excited. Her whon The Force of the Resistance being too great to be overcome by the hot Sitt. It would appear from this that hours were not cures merely because a hot Fift was sufficiently excited, but This is by no means true, for what Litt must anly be excited to a cen. tuin Degnee for its being too excited; Abrings on Death no life down y. - want of Prestement. The Cure of Fins will then turnsulnon exciting the hot Litt to a Due Degnee, or modera. ting it when too biolent. most of thesi:




Lever think the last of these Indications Siefly herefany. De Huyham has persuaded in that even Didydenhain himself had hothing else in bries in the Ine of Frevery. But we are nowwwe There is a Loundation for the first more ation, be unlife we attend to it we hall greatly mistake the Pure of Frevers. I shall begin by taking hotice of The Indications offere in Inglammatory Levers. By Inflam Fevers Imean thou attended wi topical Inflammation, as well as those w: are attended w; no



Topical Inflammation. in these laft there are pulsations in particular parts

The Body . But there is a third hind of Inflam! Trever attended w: mercasa he tion of the Meast & arteries but not accompanied w: Rong Marks of Diathesis Phlogistica. These hind of tour before their Close resolve them. : les into her vous Lever . I shall now speak of the Clemed is wied in those hinds of Fevers when the action of the Heast of lectiones are encreased. - Thou Midicines w: au called apti:



Faver. phlogistic are here more imediately indieated, which consist i'm avoiding he toul & internal pritation. The Fluids me always in Cases of Fraver determined to the primabia where they are fluxed V hanged in deich a Manner as to moduce Irritation of the internal him mulip evacuated. Forces likewise act. is internal frimuli & should there. je he evacuated as Loon as possible. The 2th part of the Cure of these Fevers com into in moderating the action of the hart & arteries, By (a) Dilluents w. aut by taking of the Density &

inos e, mine e nt

Fever Varticity of the Blood - by destroying burnony & relaxing the Extremities of the befrels. (b) By linds & hentral falts. They all weather the action of the Mart & antinible, by Tvacuations whereally by Hool w Deminisher the Horse & Vigour of the Justime. The loa. mants used Should be of Such a mature. no nottoftimalate too much, hor should they be too violent for fear of deriving too much from the thin where done Degree of Thesistance should be heptup. 1d1 By Blood: Letting. most of Physiivens aburinister this Remedy with but

da i tais de inly , tain

Leven little Inogement. for my frast of grow pry day more emore eautions in ordering it. In Inflamat: Jewes it. is certainly unful when attended with Topical Inflammation. in Frewer attens de anly w: an Inflam! Diathesis it is titueise unful but how shall we surtain the Degnes of this? This Philo: isti Dia thesis is Often temberary. When un shall we use or lay aside Muhans ret. De may une tim all young ber-Hond w : fa fety especially when they are be fond Pakerty. 2: in all Persons hazond hin heme in whom a considerable

) in 1 ins is 4 Just u-40 to of the I nout else ly lans ut o

Leven Degree of Density of Rigidity in the folids murs. 3 in all fanguine Habits y w: Imean Habits in w: The Flinds an apres proportion to the folias. hi in all Fevers attended wi vio leut hoins in the Mead win radish Countename ruffused byes & the robbing timbles ... in U Ficuer attended w: little Prostra: ton of strength little hances - or fichness at ? bornowle & above all w: a full hand ulse 5: In montof frevers occasio: nd by Cold w: mostly acts by induing Inflamatory Frevus. hence their revers are most common in cold Plimates. The Pusumption of the Presence of Inflam?

Di Sin Sin blo Info unt 1

Leven Diatheris is still further confirmed orypa-or latante attend. I'm By Releif being Bet tained from Mood: Letting, & By the Presence of Inflamatory frust on the Blood. This efforde no diagnortie mark. When pre. sent it is not decisive in informing of the Presence of the Inflam! Diatheris. This Inflamatory Prest is found in highly putrid Diseases Where grew. Norhation of thengthe Uno figues of Inflamma hon lettend. But Istoodetting is again huntful all lares of Remitting Libour

Henr asin nine fulli befor pres ofit leve lever ugn hill hep

Tever 136 attended with complete apyresia as well asin intermitting fewers for by weak! ning the Fitts Oct prevents nature's overcoming the Spasm. Ind It is hurt: full when the Symptoms we mentioned before are not all or some of them present. 3º In cases of prostration of strength in the beginning of fever, or of weak pulse. I When fevers come on gradually with great signs lafsitude O With no remarkable chilly fift or tremors ushering in The pains in the head & Hever 5 When the head is much affects with Gidding or Delirium d not attended with digno of AleMora

! the und ron Fall um u

Fever or any extraordina. Determination / to low to the Mas. 6. When the Homachio much affected wi fichnis or formiting wherially of Bile. 7: When they arise from Cantagion, or secum in the Fall of the year lefter a very beaum Lummer. 8: When a Jewen has con: timed for Loine time & come to its am: hignous state between the Interemitting & hovous France. in all these Cases Joay Clading is horandous, & Show not to by any means be used. Ene difficult fase occurs here. we Iften der topical Inflummations w any great In eneare of the Meach Cution coming on late in a Leeven. \_\_\_\_

· HEALT Non a standard of the 18 th , ely unt! 0 00 10 the Die 1 the the

Fewen How is this to be treated? Thale we me Pupping Grapes & Leecher. I have hen these Often ineffectual & Sametimes hurtful. De Friend titte Mis he has und Beeding w: advantage on the 12 Day Ja Lever when a topical Inflam: ram on formy frant fram Offer no general Unles . you must beguised by Other Symptoms Ithe Dischare. now to speak of the line of the Mentrous Frever as it is called. Ha general Indication here is to ex: wite the hot Fitt to a due Degree, and remedy the weakned powers of hature. - the hot Fitt ; hot being sufficiently writed Depends either whom a bushows of the Lystem, or because the lause of

AND THE RESIDENCE OF THE PERSON OF THE PERSO 1 Atu Pris and the second of the second Din It tion he an \$ 1000 va tren 2 th the

Leven the Fewer is too biolant to be overcome by the powers of hatene, or becausethe Fit is to dufficient to overcome The Peristane Supporing it no greater than bidinary. This Ousistance is a form: thickon on the Extremities of the 18 lood- bef. Ils an the Jungace of the Thin, wi the hot Deres Fift is Designed to overcome. The whene lupels of me Leveral Other hauts of the Body as well as y Junface The Thin are constricted duringa The lune must, be alternated by erciting the factith in Such a marsher as to induce Tweat. we have many humits of the Mischief Danity bringing

s de 1 Diri In ette w Ofte


140 on weath too early in Fee us. There weath are admissible ky is in Pertituotial Disorders in withis neespary to exhalthe laure of y Disease, no doon as possible by Jweating. all Midines Anen w: encrease the action Ithe Heast Martenies without releiving the Thin are hustful. The but Dia: horettie Unidianes are Detwent Drinho v. Often remove trevers in their Lang Phearance But Diluents au Often. iniffectual, whom the Cue of wi the neutral falts have been called in We determine to the fur face of 4 Body wout exciting the Heart & articles.

1 30 Len , del d Dan (P) i Dii and the to cree to open 1 Ma to the


Lever The hentral falt most commonly em: Jose in the Faline Mixture made influier Lemons & Tregetable Alhali. It is a uful medieine. in 1/4 af an hour it Worm fails of inducing a fiveat in Twen I conclude their that When join Vi Diluting Drinks it is a good medicine to creite the bot Fift of a Fewer. Stappins. to operate whom the Homach in such Manner as to bring on a De terminat to the fundace of the Body. But there are the Remodies w: operate in & dame way but more from infully. There are mettet fubstances in general w: are med hot Buly here, but in many places

, the 1 we a inec 4 redit c 1 a ar ha 1 mld 'h 24 a t Lu

of Europe w great fucuep in 3 Pine of fours. When they are taken in Joses rather too Small to excite braniting they have the hower of exciting the beful of The prin & Anus bring on fwest. Since the application of hemistry to medicine antimony has hun Lelected as an Smettin; Ather Jubstanus an: wer as well duch as precausans in 9: form of Dovert powder. Imetties then hasticularly Antinomial Unes are hower fully midicines in Frevers by nciting the befols of the kin. would by no means recommend antis many are the auty methic frame seen specached even Preparations of




Leven 143 offen answer as well as any Pufu: I hentim ony whatever. all the Pre: hations of antimony are Such as are bluble in acids, or such as are sheary convertes into Laline Hate by luving an Reid joined w: Them fames; howder is the Trample of the first. & I mettie of the Lecond. Which is y: let medicine? La determine Atisques: In I must Observe that an citual bomiting in Freuers from y ten of anti-: many does in one Ham Than Good, to reause we cannot use it so often as the Disease may require, they hore: we weaken the Tystem too much a moisine then that excites a direple




Fever musea does more fervice in Fever than mainne which excite an actual bomi. ting. That Medicine then will be best " lies longest in the Homach wont fringing on a bounting in and windy bots - how fames i howder is very uncertain nito Operation whom the her ofour ling ig norant of the hature of & Guan. ty of the lied in the stormach. the powfor then will be greatly influence in its fundation by this Circumstance. Inborder hun hot to be at the Mency of such Midieine Justen Hu Laline reperations of the antimony as made up in 4 mettie. This I think a

(a) big: the antim! brine, Lu Den is ve in the in a o

Fover much better moinne than the antimorrial house because in fracts too Douly an the Homach & thus Listrays wow for tentions in giving it. And 2: The na very presarious medicine of Often loves lite quality by kuping. The F mettie is generally employed a fluid Feorm whom the amount of 9: madnels of its Dose. But when given a Lolid From it sometimes becomes more howerful midicine & produces Huts more amalag: to James powder. The Dok of I methi should always I small, least it should be too soon thrown from the Homach, & for the




Hewer Ashe of being catable of enemains its + Dox so as to heep who the fish nep at the Stomach. No warm Deinho Show be given with with a biew of promoting a formiting, un lefs the fickness othould be of such a hature as to excite the northainful ansiety. The don't tider is Generally 1/4 of a Grain It in bonefases 1/8. The first Don Somer win larger than this, & therfore to: the Patient cenes or twice win of Generice 12 in the Beginning of Frevery leut as 400 before should hot be repeatedlying. The # Imettie papes brue the flores into the Homach & Therefore




Leven induces a few Stools w: and offord great Relief. Jam not assions to bring ma fiveat wit. I have cured a Thousand Lewers without sweating my Patients. a happy lineums tame for this nfirmiary where Our Patients areconnd to such cold Rooms & narrow Brid! The # Imethic hotwithstanding Lametimes induces a freat no lep howerfully than James i powden when given to the Guan.

Inter of 1/1/ every hour, if we at y dame time give war en diluting Drinks of con? je our Patuists cloudy to their baids. - How far are stools tareful in Fewers? Some Physicians think they are of




148 Fran great Consequence in orden to carry of hutrid bilions matters. Jwill not day how far they Grerate in History, But I would Observe that they art by taking off those pasms in on the Blood he hels of the Intertimes w: tind while they remain there to keep why: Disease. These Stools are so highly well that some suppose mireury " an Ingordiest in James howden. me should always therefore endeavour to have the purging Heets of Finethe I hopible in Levers. At is easy to tumine it to the Bowels by giving it Tuch a manner as hot to bring on



Teven bomiting. At what time Should the Flying mettie be given? - If given in the Poto Fitt, it shortens it considerally toon brings on a rever & fiveat. if given during the hot Fift it ismediately brings an a facut. If given during the Tweting it encuases it considerably. - hotwithstaffing this, I believe there are utainperiods in w: it may be given 1: peater avantigethan Others. Heim just before the Reproach of an Intermet. ting from it does much more fervice than & Other times. This lead me to Abune Lame Rule in giving it in Contini Lever . I Hurefore always order it

hou. 1. de go or the in Kint - Mil the Carrie Me


just before the Tracer bation of the Freder It toto you before was twhe in & 24 bours. how better should the Flinethe be given? I generally give it ame or twice at most that is about hoon Vin the Touring about 700 8 Oflack. Pout it should womit or pringe Patient innonoduately it should by means lu given de Atten or its ou Should be somewhat Deminished. How long must it be continued? Hind it most lingful in y Bigin? From it Leldom fails, but in their lone. in some Pases towards the Core of Freuers have dame Meason to fear it is an




unsafe Remedy, we have teldown by Busion to continue it long as it acts were to continue it long as it acts a powerfully in the Beginning of Frame. A it does no jervice in 4 fint stages There before the 3: or 4" day it randy en much Good after wards. Now does the I mettin Operate? By inducing Remissions in & Frevers. I given in an tvening it brings om lup - quiets Delivium promotes Jewent. The are the most common I desirable Just of the F mothic. Sim less these lemipions an brot an before the3: It Day we may lay arise the Ffmettice it will auty weather the Patient to no

1 - 8. Ceres de com here & diin 1 Alon 1 = all th adn if a /2 ll thou ? give h


Hoven Phale ass One more Oburvation un & that hat her timorial Mes wines Often supercede the hecepits of Hood - letting, It they may be used in Il Those Fewers where Blacking is not Dnifrible. But in thou lases Where phlogistic Diatheris attends, bluding out always begin the Cure, or we shall ve hu himany to no purpose. Thave wever deen dame Instanus lately of wons under Inflanz, Fewers cured of the IT Imethic without to lood-Letting. a Gen theman here present asked me few Days ago, when I failed, what



Hever Medicines of gave heat. to this fanswer there there many recommending buthors, at Johall confine myself and to those w: fit imulate the fystem & relax the fine = he of the Body. I bld water is the principal medium for this purpose It to so Love years hjo in Fevero, but has been laid wide of late especially in cold Climates. In Inflamatory Fevers especially in the floring of the year they may be but ful but in all lutumnal rewers + bit is highly unful even in 3 Colderts Constant in Rupia & Filesia it is wid the Matheast fuely in Fewers 3




Leven fall hind. a Gentleman who was at the Juige of martinico I the Havanna to me that he caned a Patient of Astrid peterhial dewer by hos whoring to the Open him in Such a hanner as buly to be defend, from the Tun & Clain. Whom the Whole I would wommand the less of the cool Olyimen to you in Lewers of all hinds when they me hot attended w: any marks of Inflam? 1. Blisters - there are a more common lemody in this fourthy than, cold water in all lans of topical Inflam? 4. nearer they are applied to y hast in and the bestter. I have seen them do harm y bring applied too far from y taat of a Discose.



Fever 156 30 Wind). Ishall not here descant on to Methodus Operandi It should be ex Elud'd from all inflammatory fevers & all fevers Attended with inflammatory Diath: esis. But in nervour feversor. even in the last stages of inflamm. ones, it is a most admirable medicine: The Cautions to be observed in giving wine are as ollow, I' attention should be and to the habit of the patient, The more he has been used to ounk the more he will require. I It shoud never begiven, aswesaid before in truly inflammatory fevers. Blood letting or other wacuations The generally precede its use.

hur -curo

Four hi of should be given mon towards the by of Javers Than in the Beginning. The appoint of the Catient Show Consulted. I Tenu home a Patient No took a Sudoon Inclination for wine, & without the Consent of his Physician or his love drank a Bottle of wine which ought on a freat that immediately minated the Disease. 6: It should repeated acording to the Relif foro: med. The more Relig it knowned the tient the more In couragem; we have proceed in it. I leve knew a han and of a dangerous finall pop



Fever by drinking being of line daily. Mis then line her len humount of Frances.

Blue as : times us wia h Con it


Interm! Lever 159 met Donald - lahours under a ugular Jutian without any thing hundian to it. her with indeed do hot Huve any requideration. They Lame: tins can hir ue 6, but Same times 12 hours. or depend whom the different Grownstances the Oliginen. The has taken a bomit & Several pur jing medianos. Juses are undul in Intermitting him a great Greantity of Bile is fund into the Bowels, but in General by are very huntful, as they time to notact the Litts & weaher y fys; tune Leen burges troing ou Intermitteets after they had been lived

rechar Picin ine for


Intermit? Fewer by the Back. my Reason forgiving li bomate a purpe was that the bound under an Abstinate Tortivenesso. - the best purpative when they are ne whory in Intermittents are allow his men lines which act as tomiche bracing midi: ines. The Seas the Brand Since n'always give the Brank aus Smorales bon as a Distinct Opyreria comes on. the Practise of waiting till the Patient In had to, or 5 Tretts arose entirely from the alrurd hotions of waiting the hature no comocted morbifice matter fit to Aborted in giving the Bark Hie

View matia Rind. inthis was


Internot: Lover not to give it too early in thou trevers There are Inflamatory Diatheris attends is the fase in most of her nal Inten mittents. The Delay here moreover is Hunder w. If Dangerone. altho Jam for from thing Intermitting Leven ne wholsome in the Thring especially in O Process as they all tend to bring on bienal Obstructions, whom the Whole tun the Bark may be given dafely all ares where no figns of topical hughas whom appear or Confestions of any this patient is habune would do, as some Physicians tell us The will cure herself




182 Intermit J. Fever Uta a certain humber of Fith. But long hart I have never observed any ling of this hind. Another Reason for Maying it was that The generally Slight a few hours before the usual times the hitts coming On, wi flots you you was the only hwhen time of giving Whach w: Jucup, to all this I may I that Leveral of the Clemishions of n dener were wort lipyresia.



Fwer. mus: In Danald labound under a don = I rutian vo a Freven applicable to w: ; called a Continul Lewer. J did not jive In the Back because i. The had can mancie Mensieum & in Consequence of 1: a bluding at her how w: shows more I god an Inglam? Diatherisin huggsten. Three whole Lemons w: from y Bittemp Lastingency Superceded the herefity of y Back how went tho't it a good fare for y: 4. mettie, I therefore Process it to her with to most desisable Jucup. The is now dismipud (med. are Futians - & Luattaians Africat Theries of Lower? no - pheline they in always the lame theries of am convinced , in the Suptible Testions.




Jane Brown - laboured under a Slight han which acording to y common hoti: not Fravers was of the Contin : kind. The had a bomit given hen when the var first seined with book up F. Imetic Shich removed her sewer. The now complains of an Abstruction of her Menses but as this frusheet arises from Regnassey I have difinified her.




Delirium hary how ton - lame to us in a Delirium but we are entirely ignorant of y Symptoms preuder it. It was attender wi a Colones Thu Feet. this was removed by bathing in Warm water. a Remody w: Joseph to have recommende when I spoke of Frances. J Ithe Corder the Freet to be formented in Frevers I all kinds w: the smost desirable funces. we are truck indetted to In Cilchrist his excellent Observations upon the or of this Remedy. This two main Pulse intimued to 112 fl minutes for dometime the fle got well after every & ther fymp: in w: indicates the Presence of Lower had Ithur. This may thow you how little dependance is to be placed before the

340 9 end but Another thank by Par frim MARKET STREET Lap I die Lin Per ass


Delinium ble in establish. The Presence or Degree Elis: Wallace The great furence and to Lay that he heven tout a Battle but wi he was in Frauett. I have often hit the same Thech might be used by many Ohysicians when they losse their whints. I have got little Presit from fin haman', lase & fam afraid, on will depive little from thou fur. aps I bled her too much, or per hahs hid not give his the F houthirst profun nes form not understanding the regular uniods of the Tewers bacuebations. If un uncertain Whether we feas hed



Fever our Blisher far eno. The took a markety of Opinson with have dome me given w: Juccep in Fewers, but flan thas done her Harran. Mush and amphor would purhaps have been hte medicines. But let us enquire to her fares & pushaps we shall be better conciled to our Practice. The had been bour time ago wooden a Rhementi affection after being and went out of this House which in very cold weather to: brotton Lever of so violent a hature ashot quito to any Remady. The was more oven Ja Inelancholly Jen humament wiah. uns very plainty during the to hole Course Then Four. The was court authy under




Frever the Influence of Francis always energy us the Danjer & Blothinary of Leves. Jane Often Blumid Heat melan: Illy Pusums are always handled most wordy by Leons. all the marks of this helbnoholly Temperam, appeared in this man such as low Delirium - Hvery with bulse which in all fases indicates te utroot Danger. When the Pulse fores your 140 & min: the Patient very




Twen Don: Ma Donald- has long bunes. no to fold & Maco Labour. all the ymptoms of his Dinesse duch as Cough pain in the Thorax & inflamm. mut on the Blood ale point out an Inflormen: Diathesis of histystem. - I bles him but Buce, herause Jedid Aduspect any tobescal Inglamin: Paifmannony of appears thendals the a Frever w: Inflam? Diatherio" Jowards the flore of his Frever the Imptomo demedo to show a rewen Phroaching to the hermons kind, and we eardingly gave him wine & other fordial medicines which releived him houth of

word fun t con les ron


Leven would Bluerve here that Bluding on to Day of Inflam! Diseases even Purposen 45 themselves in always very utful, for by this time the Inflam liatheris goes of It the tris trite sinhs to unsiderably, so that Blueding cannot wied but at the Risque of y Vahints if in Jeneral we find it unsafe to Waster the Inflam! Trust Disappear on the Aslood. But this Blown & ble to many meetitions. It may tahen in w: Other collatical Pireum:




Hever Jami Drummond. has laboured for Some 2 me under a drever w: an Inflam? Disthesis We have no hew Observations to Make on lifase. Blood: Letting is generally ordered in burnal Levers, but it may botten he Whereaded by the # methic. I am more I more convinced every day that Alu: ding is much abused in Lewers. Jine y: In of I methic in Freeen it has been wow life frequently the an formerly. I thurson Did not and it in this man's are altho some Dyne of Inflormator Disthesis attended. he was comed by the Flowthe Mone. De alle Lewers Observe a Regular Time? I have down too few Observations to theak or Confidence here. I helieve




Lewen I to Imettie Often breaks rewers before ku regular time, But in general itanly Musiates them in such a Manner y: the Prisis happens more easily. The 11: \$ 14: are for the most part Critical Douge in this Pountry. Most of those huns w: are deadly terminate on y !! - luen thou who recover from Frances Aldown have a complete Prisis till the 4: - a great Remission takes place on the 11? But the 14 Day carries of y Disease.




Inflammation thi: Ball - has her treated here for lome time for the beneveal Disease with mercury. This gives a great Degree of mibility w: Regard to Coto. from this winfronthen he was expected wing ordin? Junturature of the hir in Such a Manner ato have a stever induced. he had some monthomo wi indicated the Inflam? Diathisis, but as these were transitory omitted bluding, & gave him & Imethic Unhappily this purged him in Such manner that I was Blilized to dropit. Instead of it of Substituted y officements. but the Penging continued, which ade Finagin that it was Critical, & thursfore of took no Other means to check




Inflammation Levers attended w: topical Offertions me of three hinds i Such as are atten w. topical for flammation 2: Luch as are Hunded in Heamorrhage 43 Just as an letter = Wwi Flux. We Should confine our into Frevers of the first him only, & in biden to that shall treat of Inglams tim in ferreral. the Lymptoms of Inflam: are will known Tyon ale-Rednep. - Meat-Jwelling pain - It Sometimes Leven w: a hard Islamment: by Town - pain of full hard What is the Proximate Cause of In Som to




Inflammation Phyricians still differ about this Trues: in & few of them I believe understand Jully. all the Fymptoms we have bunk: In may be auoun to for fram enereand mpetus & apreatin Celevity in & Pulsation The Heart & Porteries But is the muse of this energased sompetus? Bellini Hoverhaux tell us that it definds upon Thushon by w means the helocity & Form of the Blood is emercated in y artimes But this is inferred from false prinilles. De Hallen goes into a contrary theme I days no In law: camarise om Blatautou. We Shall indeavour to impromise these Opinions. menased Impetus repends whom an




Mammation an encreased between of the Depelo, this veasioned by timulus. hence in Many mu of Inglamm: we der the Pheration Direct Jemuli as in Blister, Burns Prichs from Thorno de, all these indu Mammal: wont the Intervention of Detill or Lewer. But the Enquiry Does it end here. We Often der Inglams In Where These Stimuli cannot act. Boernaave ealls in Morbifi Matter auount for Inflammen: where no timulus appears but free no huepits for this Julipose thou . The different lineum times of Heat & Polo we see Daily bring n heflamen: as in the Other meetism,




Inflammation 177 hu no morbifir matter can attend. but further we leftender Inflam: hot on by the same lances as Tewerting Pola Fitt, henne them it appears hot it may defruid whom the Same puse. The Causes in induce de cour firo: us a Reaction of the funsorium willen: in in Cases of Inflammation is determined One hart lendy. I do not day that flamm: dehends upon a fram in. whom the Ix hemitis of the hetipies, non imagin that this w? bring us back Hertsution again. Por will f dvith Dr. aller Deny that Abstruction never Operates the Difugious must be paped over here




Inflammation I we shall hasten to Observe that Allows: may defined whom an encreasing the Artines of the Artines which the Inflammation happens. min Other words an enemand Imitability Mending upon encreame tonie hower. this Inflant: is of such assature at times that it indues a juneral mercand antion of the whole arteri: fysten, the Lineion of w: is always encreased for flam. In frobotion to the Increase of Inflam. This explains the Reason why In flam. tis always attended w. a hard Pulse & In those Constitutions we are evort fanjaine tense are most disposed to Inflam. diseases. Bluding we know always




Inflammation Upono Jen sion, hence its great lenfulnes laces of Inflam: whether used generally topically acording to the universality reorgined har ture of the Inflammat. from hence we fee the Distinctions tween Inflam: IPh lymania. here are fauses wi operate distretty & indi ton the Lystem. The arteries andirect. Affected in Inglam: while the Heart come us ih its formen Condition. Papiens of to mind on the contrary act directly " the Heart & Lecondarily on y arte: no do as to enerease this action. thou wer where the arteries are affected first a call of Inflame. I whom the Heart " affected first they was one called Thely.




mflammation do operates on the first directly, & Intagion on the last. The deven Atta continues after the Finsion is taken Home the arteries which may defind Spon the Heart being brot in action in the laune of the Fewer where y Inflam. midiatheris goes off. \_\_ these two states Hower Itold you before require very particu. In & difficult Removies which your own quant will easily point out. nflammation is divided into Leveral hinds Thypicians. D' Bourhaue divides Them aur: to the hature or Line of the leteries Obstructed. have he Supposes Phlymon affects the a befeels & hisipelas the Lerous befuls While adama affected a Second Order




Inflammation Toons beforels but all this is purely Rypothetical. Luatomist of late Deny my Such thing as Serous refsels de: rasing in the Brown De Boen haave has Thoses. The Phlegmon Il Irisifulas Whenance but may dipend upon the aures Han Diffirence of Defrels. There are 3 general freiers of Inflam?
"Mlegman 2: his ife las & Theimstin the may be Blue, but we shall at fire. Int confine Burilius to these. H Thequan is distinguished from y Others vies by turninating in July huration.




Inflammahours pirifulas or Shligemon ever and Information it must be owing to a bymon supering. The Fumor atten. by Phlymon depends on Flied, accummus, Din proper beefects, If there causing the mmor. I would not infer here that the can be not u mor without I flusion of no But affirm that all Jumon from Inflam: Unids. There has an Chining har an Chining to a bein & an Exhaling reful into y to a bein & an Exhaling reful into y bular membrane. if the encreased inputes of the bolows is Sudden the beins Il not yield. I heme an Iffunion must fol: w into the Cellular Mimbrasal. But " Hurion appears more publisher from the wounes with it is Sometimes Alrowbed by




Inflammations wall lases of internal Inglammation Thus My Phrenetis after Death we always find Jusion between the Dura Spia mater. Inflamen: of y Lungs also we always Leluis effusion the lavity of y Thorse. But why Sh? These Effusions hapfun lindy internal parts of the Body? to this f nswer that no Leentory lengan is inter = to between the hitery, It it exhaling hel in y internal parts of y body, kness there is Such an Organ always ituhosed on the further of the thin. The nother cahalis from y's Jurgace of the y is likewise excrementations thereas that is exhalid internally is always Designed




Inflamma tions 183 the absorbed. all this tend, to Surve but command smpeters of y arteries tude to induce an Husiwn in exhaling tuies. But we have more direct vofs of it. we find ned Globules After with in the Lungs of heritamenmonie Patients. this is not owing to a Rutture of y: Utires but to a Dilatation of them. tis will appear more probable when we moider Stat all Pies is Anade ly firem Hurd, and undergoing a kind of Fermin. thon. This In Giber has sufficiently uned. I therefore apares this react as esta-Who . Ferour this then it appears that in Husion of Jerum must take place



Inflammation 184 provious to y Formation of Pers. The famor In iv: attend Inflam: must defind hon buch an Iffinion. even Dropsies nay donnetimes depend upon a greater halation than Alroyation of Lerum. this In explains the Reason Why the Fluid und in the Bellies of noprical patients has dometiones heen of a huralist hature. have near One mitance of this quoted y Di Gaber but have has two Instances It mys of in Rever Cractise. The Matter "amated from besth of them a forded all u mual branks of Sus. we aften find val fu flammation that M: Geben so




Inflammation Hen found in his Lepinin: on Pur out of the body. But there is another Instance It. we often find matter Shit from Phtisical Patients w: has all & Properties of Our Lead Main's Justions | & got no bleen has been bound in the Lungs lefter Death. W: un this depend on? Why whom an Husion of Jesum into the Bronchia w: y Hognation & Fermentation must have un converted into Pies. Hurious lewise happen in Other Cares of Inflam. toy as well as in those we Supparate. There Hun Lenem effused in Dropsies & neabrabled from we un dergoes no Change from not




Inflamenation ling disposed to be converted into Pus. in y dame manner in many lases In flammation Secum has ent this Dis. when to be changed in to Pers, Moreover the alterbring befords are in Such aftertians howent Juffensation by Spedily allers: ing the effused Japann. Lupplumation thin ut defrend upon Lesum's being Dispo. I to be converted into Pus. This Disho: thom may depend whom its being difficulty inpugnatio w forgulable Lymph w: may hund upon y difficult Cincumstances Increamed in hether. When It is not dufficithinfrequated w: Lymph It appears to between whom to Luppuration. When it contains

(a) This Lufthon thou will appear more in f probable when we add that y Jerum is little dispund to Corruption that it was has Often been found to be a powerful Entireptie. His propurtion it definds - well whom its belowinding so much withe fame Jath of the Bland.


Inflammation noverproportion of Lymp them it appears the most dis from to Suffere ation . (a) me that does Gangrene Depend On? whom " Hurion of red Blood. The hodition of 2 it a. Polood has tens the Outre faction of the num hearding to Mr. Geben, Inheriments. we have many proof of this Iffunian in Inummetin more especially in the hothers. But Other Circumstances are to be taken to account for Jangnene w: must moidly communicate to your Gangrene Theores to be determined by Some putid ument in our Felnier wi is most deter. mined to the Lunface of the Body. hence I may be produced without the flusions of we blood as in Lower huthis Tewers.




Inflammation 188 but begin Jangrene may Delide. Morbide many wes may produce this Estonia such as Do listringent Granuti or Levativelephli. stions. But the atonia may arise from In hup of Prefoure or over Distintion inthe befuls alone w. determines to Pa: blaction. Thus have Jendeavoured to illusat the three common terminations of In: amenation But there is a form ination in, when the Inflain. Diatheris ceasess byt a portion of Fluids still stagnation the thueted befuls. This dermination is called thirrns! It happens most in thoughonds are most convoluted of when there are




Inflammation 189 wet huas tumous hence the Filias au most It to Stagnate in Glandular parts. Schion. Whowever must hot be confined to Glands ly, as the often find Inflam: termi: ite in hard Jumors in Other parts as das in Glands suchas in y cellular Titue of the Lungo, and in Bothers. tuchino of Furmon occur mos Aprequently Turans subject to hisopelas. be shall now heat of the 2 Thereis of flammation bis: Wisepilas. It is not liable to Julwhen like Phligmon of generally happens " such befrels as are not connected ullular Membranes does this defind



190 Inflammation from the befels being too Surall town it the Suppensting Iffusion? no I think A. hisepelas only tuhes place on y Topace of the thin, or in places analog: it i e where a futrile covers y finface what, Such as y mouth of Intestines The is no duch Covering on y biscera There fore & Doubt to the the Drisipelas u haffuno in any Wiscera Whatever, mener much author have talked offit. host of the trisipelas: we are arguain. w: are affections of the Thin, & always hend upon an luvid matter depos Dunder the Cutrile. This appears proba le from the application of accidotring




Inflammation m hisihelas whom the thin . any thing hat confines the Perspiration wis is of an wid hatered brings on y Trisipelas This Perspiration is y behicle of ananthemata hence the Reason Why y an do much determined to 4 this. Linnaus calle y hisipalas y Protylens fan Munatorum Dw: great propriets from auses we herre now assigned. Tristpe: w makes its most frequent appearance Mu Frace. Ahis is uno of hicipulais. Theumatinn It is distinguished on Phlegmon by not July wating tahing plan in bepels wi have no mudiate Connection w: celhelar Jubitame




192 Inflamenation In Leated in the Mumbrane of youndons I Sometimes but readly in y Mumbrane the musiles. Done it affect the Thum. me of the Ligarment? no. I helieve to House rather Supposed y: y Gout teated there, but this is still doubtful het the Same place, & Dopens on marly of:

and Pourse.


To distinguish: you see from y other heirs by lite feat - 2: by not terminate in July hunation 4 3 for by an inflaming Does the Pain depend whom an affect. mof the mountment of the Findon itself, on it it only propagated by them into y foints.




193 Inflammation Tou have many knalogies that favour to last the inion duch as the Methical hock w: is confined or restrained at the unts, & ather pains in by Bullations which afated from lefs to more sensible with. In Second to confirm this is 4: there hoven an Instance of a transition of the tim to any of the visena. Thy Dais of heumatimentines do long wout non or any marks of Inflam: lent ain? why does it in Palsy, Why Taly Sumetimesto attended in Pheuma. " lains? Why Does it resumble the ins of the hurry or fout? I shall not onner the Inestions here, but




Inflammation have them as an Excessive fryour own mgenerity. but there is another Theires of Inflam. fin different from all there. bis Halmice . It never terminates fuffunation it dant Defrend online: my fused, now is its feat analogous to allheumatism. to there I may add Their of Inflamen: bis latarch, w. an Inflam: of any membrane on w. mens is decreted, hence it maynth feat. ny hou - Fearier - Trathra de aswell the Traches. It is attended wi an und matter efficiel from y Follieles murous glands in a thin state of




195 Inflammation y you see then distinguishing its feat de aure. The munes may being thehicle Jusan themataus matter; himey: haron Why lough - Porgrai Nedo In attend the measles finall pox Mir eruptive Disorders. The Tenesomes in Dyuntines is often nothing also but Sutamhous leffeition. Buides there there are ather Theirs of Maminstion, all the Tyanthumata differ The hature of y herimony ting ironn. ws w: attend them. I have called all or peries. but they might think be the difficent Senica of Inflammation we agreed properiety.




196 Instammation Thate now offer a few Things on the of Inflamen: in general. The limedies for this purpose are Vacuations Macoding - borniting-topi. al Applications Such as Astisters He. canot take time to Speak of each these, I shall only add a few bout of on Aland - Letting . This und wi great Troom in all Cases to hieal on flammation, but think to much Fredown. in Veriponumonies + often supper Infrestoratito y great langer of the Patient by chacking the teretion w: causes this the toration.




Inflamenation 197 f monover renden all puriodical Disorder, we in teterate, many Do inflam? heases are puriodical. I have read of it Hen I have deen it as regular as in ny kind of Fever. Al henematisms are In puriodical. I are in those Casesto huned any by the Back. Polistetting m great mirchief shop here. but again befertion disposes the Body to mon readily tiffented wo loto, bed is Tways attended w: a Stow Ponvalinance. It may likewise destroy the du proportion 1 red = Globules in the Mood, & thuis induces general Debility & want of Junion in Lystem especially in y Homeet. The




Inflammation 148 0 Inamia of Leinte and is but on by requently lood . Letting . I had an infetome : tely of a man, falling in to a dropsy the Thomas & lower by humition merely in unquenu of blueding him too freely in & Whenmatism. The French Physicis unow laying aside Aslow. Letting in theep they formuly used it. Leinteans you will find appeares it so warm by but he appears to be in Danger of alling into the contrary troor. If then Lonsequence of General Medingsare dangerous we are happy in hing We to Substitute to pical to ladingin the Room. I have used them in




Inflammation 199 0 Malmias linginais Periposeumon: hephing At denrable fuccelo. for if Influm: ludt whon an enemand tension of the whele in the influence part, deminishing thin y leve huit must certainly do intervier. Arteriotomy is a phecies of thical Meding, but in many lesses it is not ourdal as Cupping or Leader within more hels Han he teristory. This is all Hule advance topon this July ect




200 Rheumatism Marg: Dougal - labour under alhen. mation w : The attributes to great tratique: Entique always disposes to the Bordy to be affected with fold we we know induces Phramatim. too for did not choose too bleed hur altho fordinarily orden it in the Beginning of Aheumations my Nearonafor not bleeding her was whom the hu: of her having her Menses an him. Tout know that it wi have been langerous but we must conform to is rijadies of the bounen in particular in Churaiis w: are Sometime fettended w: danger, Ly always order Bleeding du. in the Height of y Disease , but in




201 Cheumatism Thematism When there is left Danger Think that a heather of lepfortegum fordered topical bleeding in this boman's fase w: hdvantage. Luches une applied to heration by w: Often releived her. her Pains Shifted from blace to place in Such a manner that y Leeches no langer did her any noise . Is from this her: lefter hur Men: mation ceases fordered her bled hetty the fram W: entirely removed he Paines for a few your Days. I like: vise ordered hutte Teneha wi has hun reammended in Inflam! Diseases. His




Rheumatim medicine hardone great Jewise in 7 Remary & Periposenmony in horth hmerica. porhaps om Inflam breases diffen from this, for it does wet do much Lewise in this Country. - Here it does Good, it is by Phus = ting on the formach in a manner huslagons to Flmettie. Andeneka i given in Olkmanatisms as a Tudorific but do not approve of Ludorifico in Phenmatisms. I thoughouse gave it as - Payative. Jeannot Day Japhrove only do those Haven than Good. however




Rheumatism 203 I hoose to give it in this woman's (ase, But Jean not day wi any great facusti The is or from the Whole now fretty will. I shall any ado am Phuvati: mane i e gi is that very little Alood: Letting was used. The had 32 Luches any applied to her wi draw Whant 3 fo to 3; of Blood a Junie. 9: Voland diawn fram her her her was not my considerable. The whole blood. howe amounted her haps to 46 Bunus & this in y thave of 20 Days. Jour this your the truefifty of advantage of the wing the Polaro of our latients in many




202 Sheumatism James Anderson- has complaind of a mibural Theumatism & yet was at linder w: but very little dewer. Whom this her; I undertook to cure him by to pical Poluding. The Pains in his Points were attended withelling even this it affected the Extremities where Iwel. ingare most aft to occur. in there are Blistering does more firmice than Blee. ding. be from this her? fatified tolisters to this man's Limbs which did much more Vervice Ahan the topical Blud? we had forenerly ersed to him. The Pain thifted after the Bleeding was used in: thour is topical Bleedings acts in Ane place Bul Bene the State fireie Unles




Rheumatism. 205 applied directly to the parts in lamed. - Jane him the veneta as a fudoifie, Il continued it for 11 Days together, but was unable to procuse y Iwent we duried. purhape this was nevering to its her ing Rapt too lung for the efficacions part I the maisine is a bolatile prent. Sow far is Lucating useful in Othermatism? This Patient tells us that he Sweating: byinning of his Disease but grew worse After it. in general Him all Jeweats Whether hatural or artificial do mio: of in the Beginning of Theumetism. their last strage they may do Juvice. I hugor gave this man Dover from den of this time in y latter Ind of his




Theumatism Direase & JAhinh wi a great deal of Juccep. he frew well, I has dince been discharges from the Infirming. Tames Hay has laboured under Theumotism without hain twin- or Juelling. his Friends thot what a Paly, but the moving ature of his pains - the feat of them - the Inglama: Fruston his Blood - & Leclear Exercise of y Foundains of his In socieum all convinced me that his Disease was of the Phumatrickind.




Theumatism of the annuales affected here? Thaison: bring on a Rheumat: as will as Lafri: Dett Latigue tind to show us y: Other. It is ce ated in y membranes of y mus. les. how are the musculand ibus Afected? Told is y most universal ausof Ahrumatisen Coldeyon know in ferative in Both of heroes of Lensel notion, I have the Reason why it do Hen induces betonia & Palsy, butfold i a maduate Digree proves flimula. Hereites the Flow of Aslow into the hteries. Nout when the Colo merails a little more than Ordinary it acts as a Feder tire & hour induces the letonia




Theumatism I Debility wi we des occur in this have attempted his fare by big. I the Que of Dover's prowden. The Dose he took was Fi hvine aday w: contains 19 of Opium. a quater Dose than this unsafe in Diseans Where andny flamm: Diatheris attinds. he took this medicine for Same time wout any veces in this quantity of thereton en: reased the Dose to Fig w: did him ittle or no Teroue. Mest fordered hum Blisters wi indud Bright to have been on : dered Sooner - They were applied to the




Kheumatism place Where the pains were scated, and believed him considerably with Alegard to is fains. The atomia Still continues Sich sums now to constitute his died Discare. to vernody this I have or:




Phhalmia Of thalmia formerly laid was affering Inflammat peculiar to itself. It never suppurates. It generally depends whon Melaxations the Blood Defrels of the Lye vi disposes them to neceive a preternatural hantity of Blood. hence they receive ston from a very Slight impelling fame. It is to be cared by listrangent medicines. many writers Ihnow condemn thein, but most of injunious Practitionersus me them ale Blyestions to them arise form Theory. It have used them for 30 years & balways wing most desirably luces. - an Obstruction of Januario desprotos




Spothalmie from to this Disease , the Reason of this requires no teplanation. we have had deveral firmale Patients lately in Ans House w: Ophthalmia's arising from this lause. The lune in this lase Mount be lettemptho w: boliving & listing ents. The his kingent application I generally Bider is a Poultie made of Bread in traters
the Solution of Josephan: Saturnipore. ned upon it. I have Deldom known this Poultice fail in y Care of Bothal. mias. Rippoerates Lays "a Dyanhaa may be so. I thenfore ordered for Some gentte punges is: hovantage.




2/3 apthalmia a bariety of listingent medicines have hun employer in Opthalmian, but the most effications of them all is facifation. White Bitiol. the Lach: Fature: Joes most Lervice when applied caturally to be The Eye in the From of a Poultice as formerly mentioned. The Coajulum Eluminosum & Brugo Oris have been unployed to forecep. The last is rather too thind white bihid applied in Collyria is the best bething applica. two to be introduced in the typ f know. The Method of Bluding is generally hur formed by Leeches. But these




214 Bhthalmia Sometimes prisony Flesh, Vindue a welling this y: Whole Face. whon this hu? I generally use Cupping Glapes to the type instead of Leeches. The A almias very often attended The ben: Direase acording to astone but Vam very aft to doubtit.




wearhness of the Homach, 215 Ann muin - has womplained of a consi: mable Jumor in y Region of her flomach v: Lometines was larger than at the Aines. This is a Lufficient proof that her Confilaint was Leated in her Homach, What it depended whom Wind. This Discussis do very frequent that it is seldam Obraves especially if it is attended w: True tations. in our Patient! Case no Discharged wind took place either whowards, or downwards if we want a hame for this Disease we may call it " Lympamites ftomichalis". What is it is proximate fause? him ali: or fined in & Stomach . depositions on ali: ment containing a great quantity of ling




weakness of the Homach 216 I cannot thinh it does as we often ble begitables y: containagneat deal of air tuhen into even a weah stomach Myst no Flatuling or Disturtion luce wids it. This is somewhat unaccountable, but may depend whom y gastine & other Liquory of the Homach being pouredout in such a manner as to prevent the beumulation of his in y Homash by entang gling & lepning its Blastreity. He ause thun of the Swelling of the Stormach definds n Nothing else than an atonia of that Viscous. But w: confines the air in y: Homach? a Tham on to Brifiers which we know to universally attends most been of Gatomia. His Contriction Delective often




weakness of the flomach deises the Pylonus. our Indications of luce are 1 To Strong then the Force of Thomash & of y Lystem in general. 25 excite the alimen: Canality of good frewent the present fram, and Obsirate the Return of them. The I Indication is to be answered by String thining or tonic modicines. Such as the Limatura maitis. This boman has taken it for dome time mixed w: Fineture Chamatica. His did her little fervice, I Maryfore gave her II: medicines to excite the alimen: Canal, Such as Finetura Lacra wiis the most howesful Unidiane & how for




weakness of the Homach exciting the peristaltic hostion of y Gutts. - I lihewise gave her Gum Grajae the fame Intention. It is anexullent Cuminative ftim ulating medicine but is only of inacious when given in Johnton in - 9: X when distrolow deldom fails of fully Thening the Bowls, but it has no buch Afrit whom his. Itt. La anown this Insiention Jeave her Brium brot still joined it with a layative medicine. This Method of treating his answered very will, and tid her agreat deal of Invice. The is now about Pulents, a prisiod in higher w: brownen are Often duliget to Diseases of I Homewh. They are seldown evenes on -




Hæmorrhoids 219 Wir: New has belowned for downstime un on the Piles. This is a very difficulty & Disease, inasmuch as It is beyond the Meach of general medicines. Jeneral How letting down not deminish y Impeters Jy Blood in y Homorrhoidal beful. to pieal bleeding might his hales bud he in this are as well as in all Homon: : rhages w: we herow depend on anen. neares action of y befolo, but as this has not effet been tried, we cannot order it in y presentlase. Entringents nomine more frecep applied topically but I have found them huntful in Komornhord of long Handing. however Tordered her DT internally and Refriguent




Komorrhoids Hedative uprially as the complained of orlatuliney at y dame time. I think of her fervice. I lihewise gave her frequent Doses of Specar ? which I have found highly wreful on hot any in y Donnor hoids, but in a Immoderate Flages of y menses my Intention in giving this medicine was to prouve a Determination to to y thin, for w: purpose fjoined be Epien wit. This method of heat! this Patient due ceded, of the wess dis: charged emed. Purjing midieines were now Ithin for thown in, but these were hothing but falts-manna & 4.




Hyporondriasis 221 John Jordie - has laboured under a Syponomoriasis. This Disease infounded whom a particular flate of y hervous Tystem, & generally Shows its fing: Elimentary Panal. His Often indu -ud by affections of the abdomin! bisceral upecially Le himorities altho it is Some times merely Chasmodie. The lastisty for the most favourable of the two the Sint is generally incurable. Our latinh use was of this him . he Was troubled w: frequent bounding & Blutinate los: tivenefs. His made me imaginhe Pylonus. but how I was enistation




222 Myporononiasio for whom difucting his brodyinsmediately After his Death no unorbid applearance was seen in his Homach. the liffetion then of his Homach must have been hurely Sparinodie, & must have arose lower Down. They Often ino me whom to his fundorium like the ty: tina I therefore induced Delinium or His Spannodie ftricture of the Homach Stem induced in him w: is earles the "Cardialgia Sputatoria" or wis called in this Country the Water Brach" - then was a remarkable Forfron attended the great getts which was seated chiefly in y quat Gutto.




Hyporononiasis This is dufficiently proud from the bestivenet under wi he laboured. Pruges did him but little Juvice, w: Shows us that lusges actionly any Small gutts w: appears to be owing either to their destroyed by the Dijestive powers or Morbied, or nondered inert by too much Diffusion. This happens more uperially to begetable Juditances. Aloes is an Hufthon to this Observa. tion hence it outs only by momoting the Exerction of the Fraces. Julphum too paper thro y small full unchanged uts anly on y large anes, in makes it is so very useful in y Homowhords



Hypocondriasis The Polan was found ramachaly con: stitid w: shows y: the Forfor was diefly leated there. the Blood befold of the mesenting appeared wery turged w: was owing to their being so much com: : prefered by the Blitmuted Gutts. The Closs is often squeened out into the Zutt, & Discharged upwards & down. : wards of a black Colour. His was w: y ancients called y "Atha biles". . It happened to our Patient. The Blood Sometimes Stays so long in J Gutts as to become putied & Then in flames then to this likewise was Heason Why his Gutts were found




Hypocondriesis in a Gangrenous state. Hus have finished the act of Temset Lymptoms of this man'd ise ase. as to y method pursued in treating his Disease of gave alors in senall Joses - Juna & huthalfalt especially Je Glauber fult. I likewise gave him ommon falt av his finna. Hishot my auts as a fintle purge, but After proves & most powerful an. Timethie when every thing else has hun resid to no purpose. home of these hoicines pungo him . I therefore gave him Sallap Valound, but divided tinto devual Doses. I would have




226 Agpoiondriasio. fave it Looner, but liqued lurges are Junerally west in all Pases where bomi. ting attends, the Think I have been Aceptions to This Rule. The Sallage Halound howweedid not operation him. I returned them y common talt, but gave it in a larger portion of water. For I have often found min: waters parge more from y. mantity than quality. Glysters at last opened his Bowels from thimm. lating the Abstracted gutto, w: washins The Aleuration we made at first wer. uning the Operation of Vinges.

an his' blow langt Hair Disea Paux. 149


anusarca Javid Robinson - has laboured uniden an anasana wont y nsual funses induce or Lymptoms w: attend it. huch as Atomia - Such of Fluidits iny: blood - Difficult of Breathing - Freque landity in the Hearts action or array thing like assitis affection. Times in his Disease is owing to a part: affection of the hina lava descendens" w: is nobably owing to Compression from ouses unhnown. I have endeavoured to oure him by promoting an alroything of the water for this purpose of gave find Diwettis such as Bry Tolchieums untille Be Dones to prevent their living discharged too Soon from y Tystem.





masarca I joined w: these Purgative medicines. Il made Punetures in his Lego Diabetes. John zours - has long laboured under a true Diabetes. The Course & Mature of This Disease are involved in Obscurity. Thave not time now to enquire into Them. I have generally found biscual Obstructions to attend this Disease, but Thave no Reason to suspect this in om present Patient. his Disease dums rather to arise from the Spartson The Exerctions being distroyed ic Perspi encreand to goldidneys an onercased





Diabetes absorption lihavise takes place from The air. This Statical Experiments prove Gestablish. - Lasity of Ridney Sometimes attendey Disease. When this is y face thich turbid him isdischages, but as our Patient Did not discharge duch berine, / hadno Reason to suspect a morbid abiety of the Nimeys of put him whom y: hoe of Judorific Medicines w: have melein Ed him a little. This Gentlemen finishes om Plinical Lectures. J have thrown out many thing perhaps Somewhat inacurate, but I relyon y: usual Candor to sur for Frongio meple.





























Head: ach This Disease arises from diffirent, acres, & all the Method of curing it has hi therto been the dame in all Cases of Kead ach get a little Attention to the hatiers of the Divease willever. vince tes that such a practise has been very preserious & Often hurtful. 1: Hethora is a very frequent lause I Head a list arising from all those lauses his Plethora in general, or a particular Datumination of bolow to the Kead in partienlan. here the pain in soustant I deldoms intermits much - the Egeo ne Often suffused w: Blood. The Fumporal anteries throbe violently, & the Jelse is




Head, ach full be oppnefeed. The Method offers in this Execution to in leping the Hethories I removing the Determination to the Kead. This is done 1 By Bleding. This should be underry spaningly upon the live of its enersing Plettora. I have therefore greater depen. : dance depon a to 2. Thare Diets consisting chiefly by by tables 43: Whom gentle Exercise, and to a few laxative modine sufficientle keep the Bowels always Open. Put it is very rare that a Head lish y hech has winteness for any time defunds from a Plethora. It appears rather to ? be a kind of topical Lever of the Aland,




236 Head. ach I hence we find it do Often persod isal & almost always ushered in by most ofy Tymptoms which are common to Funan. such as chilly Litt - Thirst - Grich Julie -Reat de. In this fase the Cure mustbe fransomed i by Bloodletting - Mis is alway shughan my to begin the lune as more or lep of a plethora so often attends bout general Aleding seldom don fervice. The lest way of drawing the to lood in this lase is by arteriotomy - Luches & Cupping Sopes 2 laration modicines. These are universilly hoperin Mis Disease. The huntral falts our to time wer bust her with ballerian has some times her



Hend. ach given us a fresificin the thead but, but I be laine it never auto income Other way than as a Junge. Thenie the war give Juj of it wi Gui neven 3. Blistening. 4: Harmutonies which are highly useful in all lases of serous ougestion in the Read. 4 The peruvian Back. in those Tases where the Head lich Olymons regulan periods; & When they pur. take wid with of the true dutermost! Francis this is a new or failing Themedy. In the Let Part of Just land in.



Mead: ach Heres are very common way your, lent Some times the Concionalfaures and weak that they buly produce a Read: Out which teremes Indunie It is anly to be even by Touch. - in that are when the Bush is found anful we must exclude ally their Timedies weathoring. The Bash Shi lugiven in Jule Down just lufore y: approach of the Fit. Some who are were to the Back how a luminous by exciting a feverat by metting & Then means do as to determine the The foundably to the phin furt before we expect the Fitt.



Mead. ach There is the third Thuring flead but is: does but pro huly belong to every of the foregoing in which a foldness of great Umore or less of a dorfor sett of the Whole Lystim attends. how Back Chylybrate & the Other invigorating medicine are indicated, in this face undy the Other is used to advantage. The but way to me it is to drop it on fotton in a him of bludder them apply it to the Mas . This presents its Evaporation - It A? always he was 'till a Rompo appears on it for head, or it does no Train. Homes - Blisters - Wedelinia ere lihewise un ofeel.

